

---

Subject: Linux anti-aliasing fonts problem  
Posted by [xzsa](#) on Fri, 18 Feb 2011 15:52:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi. I'm using Archlinux x86\_64 and decided to try U++.  
I've installed theide-svn and upp-svn from AUR.

I'm using Verdana as my default font with enabled anti-aliasing only for fonts smaller than 7.0pt and bigger than 12.0pt (for fonts between 7.0pt and 12.0pt anti-aliasing is disabled).  
I am using KDE System Settings -> Fonts to configure this.

But "TheIDE" and the sample U++ applications I built with it look different from the other applications (GTK+ and KDE) - fonts of applications built with U++ are always anti-aliased and for all the other applications are not (with my current settings).

If I disable anti-aliasing completely (with no exclude range) then everything looks fine (all app fonts look the same), but captions in firefox look ugly. If I enable anti-aliasing completely all apps look the same, but I don't want to do this.

This problem persists in KDE-4, Openbox and LXDE.  
In XFCE4 everything looks OK. I don't know why.

Also if I install "gnome-control-center" package and use "gnome-settings-daemon" in Openbox fonts look OK. But I don't want to use gnome-settings-daemon since all the other apps look fine without it and it breaks my current Openbox configuration.

Is there any way to fix this issue?

---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [mirek](#) on Fri, 18 Feb 2011 19:53:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

xzsa wrote on Fri, 18 February 2011 10:52: Hi. I'm using Archlinux x86\_64 and decided to try U++.  
I've installed theide-svn and upp-svn from AUR.

I'm using Verdana as my default font with enabled anti-aliasing only for fonts smaller than 7.0pt and bigger than 12.0pt (for fonts between 7.0pt and 12.0pt anti-aliasing is disabled).  
I am using KDE System Settings -> Fonts to configure this.

But "TheIDE" and the sample U++ applications I built with it look different from the other applications (GTK+ and KDE) - fonts of applications built with U++ are always anti-aliased and for all the other applications are not (with my current settings).

If I disable anti-aliasing completely (with no exclude range) then everything looks fine (all app fonts look the same), but captions in firefox look ugly. If I enable anti-aliasing completely all apps

look the same, but I don't want to do this.

This problem persists in KDE-4, Openbox and LXDE.

In XFCE4 everything looks OK. I don't know why.

Also if I install "gnome-control-center" package and use "gnome-settings-daemon" in Openbox fonts look OK. But I don't want to use gnome-settings-daemon since all the other apps look fine without it and it breaks my current Openbox configuration.

Is there any way to fix this issue?

We are attempting to read the antialiasing info from gtk. It works fine with current version of Ubuntu and gnome desktop.

Direct change would be trivial, the correct detection perhaps more complicated.

The detection code is in CtrlLib/ChGtk line 670, if you would like to try hacking this.

How gtk apps behave in your system?

Mirke

---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [xzsa](#) on Sat, 19 Feb 2011 07:38:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I have commented line 672 from CtrlLib/ChGtk.cpp  
`gtk_antialias = Nvl(GtkStyleInt("gtk-xft-antialias"), -1);`  
and now everything seems to work fine.


I don't understand how it works or why it works but it works.

The only difference I noticed is that the other applications start anti-aliasing when I set "Exclude range" to 10 pt or less, while the U++ apps start anti-aliasing when I set "Exclude range" to 9 pt or less. But it doesn't bother me.

---

## File Attachments

1) [conf\\_antialiasing.png](#), downloaded 889 times



---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [mirek](#) on Sat, 19 Feb 2011 09:08:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

xzsa wrote on Sat, 19 February 2011 02:38I have commented line 672 from CtrlLib/ChGtk.cpp  
`gtk_antialias = Nvl(GtkStyleInt("gtk-xft-antialias"), -1);`  
and now everything seems to work fine.  
I don't understand how it works or why it works but it works.

The only difference I noticed is that the other applications start anti-aliasing when I set "Exclude range" to 10 pt or less, while the U++ apps start anti-aliasing when I set "Exclude range" to 9 pt or less. But it doesn't bother me.

Well, that is nice to know, but that does not really solve the problem... because we definitely want to know gtk setting there.

My guess is that in your system, the setting of antialiasing (the dialog you posted) works on lower level than the setting in gtk and usually applications are not gtk (or gtk is able to detect something else too). This theory is supported by the fact that in xfce, everything is OK (xfce is gtk based).

Can I repeat my question how gtk apps behave for you (I mean, in KDE)?

Other than, possible semisolution would be to not load the info from gtk when desktop is not gtk based (but I wonder how to detect that).

I am moving this to development corner, as this is something to resolve ASAP

Mirek

---

---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [xzsa](#) on Sat, 19 Feb 2011 12:51:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

All applications - GTK+ and KDE(Qt4) look the same - fonts smaller than 12pt are not antialiased and fonts bigger than 12pt are antialiased, only for U++ applications all font sizes are antialiased (with my current settings). And this is under KDE, LXDE and Openbox.

When using Gnome or XFCE4 U++ applications look like the other applications it seems that there is something running (like gnome-settings-daemon) which fixes it.

I changed line 672 of CtrlLib/ChGtk.cpp

```
from gtk_antialias = Nvl(GtkStyleInt("gtk-xft-antialias"), -1);  
to  
gtk_antialias = -1;  
and now U++ applications look like the other applications under all desktop environments I've tried.  
It looks that when gtk_antialias = -1; gtk uses the default settings of X server.
```

I also uncommented row 674 and commented row 675:  
674 gtk\_hintstyle = GtkStyleString("gtk-xft-hintstyle");  
675// gtk\_hintstyle = gtk\_hinting? "hintfull" : "hintnone"; // Gtk does not seem to follow its own rules...

and it works fine - before there where or full hinting or no hinting, now slight and medium hinting also work.

---

---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [mirek](#) on Sun, 20 Feb 2011 13:46:58 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

xzsa wrote on Sat, 19 February 2011 07:51 All applications - GTK+ and KDE(Qt4) look the same - fonts smaller than 12pt are not antialiased and fonts bigger than 12pt are antialiased, only for U++ applications all font sizes are antialiased (with my current settings). And this is under KDE, LXDE and Openbox.

When using Gnome or XFCE4 U++ applications look like the other applications it seems that there is something running (like gnome-settings-daemon) which fixes it.

I changed line 672 of CtrlLib/ChGtk.cpp

```
from gtk_antialias = Nvl(GtkStyleInt("gtk-xft-antialias"), -1);  
to  
gtk_antialias = -1;  
and now U++ applications look like the other applications under all desktop environments I've tried.  
It looks that when gtk_antialias = -1; gtk uses the default settings of X server.
```

...which is sort of problem, because you can change the setting in Gnome to affect that.

Thus I believe that probably the right solution is indeed to detect whether Gnome desktop is active or not and put there -1 only if it is not..

Mirek

---

---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [mirek](#) on Sun, 20 Feb 2011 13:54:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

OK, please try to insert

```
if(GetDesktopManager() != "gnome")  
    gtk_antialias = -1;
```

at line 673 of CtrlLib/ChGtk.cpp, or just try latest svn.

If you can, please try and report all desktop environments available to you

Mirek

---

---

Subject: Re: Linux anti-aliasing fonts problem  
Posted by [xzsa](#) on Sun, 20 Feb 2011 22:08:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks it works fine in all desktop environments I have tested: KDE, gnome, XFCE-4, LXDE, Openbox.

---