Subject: Rect\_<T>::SetNull not correct for Rectf (Rect\_<double>) Posted by hans on Mon, 11 Apr 2011 20:25:48 GMT

View Forum Message <> Reply to Message

## Hi,

latest addition of SetNull is implemented as

void SetNull() { left = top = right = bottom = Null; }

but template specialisation for Rect\_<double>(Null) is implemented as

```
template <>
inline Rect_<double>::Rect_(const Nuller&) {
    left = top = 0;
    right = bottom = -1;
}
```

I would suggest to implement SetNull as

void SetNull() { \*this= Rect\_(Null); }

which works for Rect\_<T> for generic T and specialisation.

Thanks, Hans

Subject: Do: Doct at Street Null pot corre

Subject: Re: Rect\_<T>::SetNull not correct for Rectf (Rect\_<double>) Posted by kohait00 on Tue, 12 Apr 2011 07:44:03 GMT View Forum Message <> Reply to Message

the question is which of the 2 API calls is the right one. since currently there are the 2.

this recently added approach is one similar to Size..

so it probably should be sth like

```
template <>
inline Rect_<double>::Rect_(const Nuller&) {
   SetNull();
}
```

it seems as if there is some duplicated code

EDIT:

the problem seems to be that Rect\_<double> seems to need a different Null handling

EDIT: mirek could clear up why Rect\_<double> needs extra treatment (i imagine because of Ctrl drawing handling)

but maybe the above approach could be generalized for both

Subject: Re: Rect\_<T>::SetNull not correct for Rectf (Rect\_<double>) Posted by mirek on Sat, 16 Apr 2011 18:42:09 GMT View Forum Message <> Reply to Message

Should be fixed now.

kohait00 wrote on Tue, 12 April 2011 03:44 EDIT: the problem seems to be that Rect\_<double> seems to need a different Null handling

EDIT: mirek could clear up why Rect\_<double> needs extra treatment (i imagine because of Ctrl drawing handling)

but maybe the above approach could be generalized for both

Well, Rect<double> is a strange beast. The problem is that whereas for integer types, it is possible to define that points of rect are defined as

(x >= left && x < right && y >= yop && y < bottom)

for double this is not a good solution, you rather need

(x >= left && x <= right && y >= yop && y <= bottom)

which is the source of all differencies.

Subject: Re: Rect\_<T>::SetNull not correct for Rectf (Rect\_<double>) Posted by kohait00 on Sun, 17 Apr 2011 12:39:48 GMT View Forum Message <> Reply to Message

damn math thanks for fixing...

Subject: Re: Rect\_<T>::SetNull not correct for Rectf (Rect\_<double>)

Color should have an explicit SetNull like the others.. (need it for my Python export looks good..)

Color.h:41

+ void	SetNull()	{ color = 0xfffffff; }
Color()		{ SetNull(); }
Color(const Nuller&)		{ SetNull(); }

Subject: Re: Rect\_<T>::SetNull not correct for Rectf (Rect\_<double>) Posted by mirek on Mon, 25 Apr 2011 08:46:16 GMT View Forum Message <> Reply to Message

kohait00 wrote on Thu, 21 April 2011 02:28Color should have an explicit SetNull like the others.. (need it for my Python export looks good..)

Color.h:41

+ void	SetNull()	{ color = 0xfffffff; }
Color()		{ SetNull(); }
Color(const Nuller&)		{        SetNull();        }

OK. Will commit in the evening...

Page 3 of 3 ---- Generated from U++ Forum