

---

Subject: a simple MDI example

Posted by [o\\_wild](#) on Thu, 11 Aug 2011 02:56:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This is a very simple MDI example with text edit.

It's not finished, because it needs window arrangement functions, e.g. 'overlap', 'tile vertical', 'tile horizontal', and it needs 'save/save as' functions.

I put it here in the hope of finding a better solution to MDI program.

Thanks

---

### File Attachments

1) [TestMDI.zip](#), downloaded 516 times

---

---

Subject: Re: a simple MDI example

Posted by [koldo](#) on Thu, 11 Aug 2011 07:15:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello o\_wild

It is true that your app opens multiple windows but it is not really a MDI app as it requires the windows to reside under a single parent window.

---

---

Subject: Re: a simple MDI example

Posted by [o\\_wild](#) on Sat, 08 Oct 2011 04:32:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,Koldo

I found that Style() function in TopWindow can solve this problem.Modified code is attached.

Best regards

o\_wild

---

### File Attachments

1) [TestMDI.zip](#), downloaded 480 times

---

---

Subject: Re: a simple MDI example

Posted by [koldo](#) on Sat, 08 Oct 2011 09:43:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello o\_wild

I see. Now it works rather well.

There is a little problem: the window overlaps the menu:

Do you think if it is possible to make it work in Linux?

---

#### File Attachments

1) [dib.PNG](#), downloaded 1119 times

---

---

Subject: Re: a simple MDI example

Posted by [o\\_wild](#) on Mon, 10 Oct 2011 15:11:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

In Fedora the Style() function is not accessible in TopWindow class, and  
MaximizeBox().MinimizeBox() lose effect in child window. Sizeable() still takes effect.

By the way, installation in Fedora have a minor problem. 'make install' can not select /usr/local as  
the default installation path, and --prefix=xx is not accessible, so 'theide' is copied to the directory  
of the extracted source code(in my computer it is  
home/<myname>/Download/upp-x11-src-3550/uppsrc).

Best regards,

[o\\_wild](#)

---

#### File Attachments

1) [Screenshot-Test MDI.png](#), downloaded 542 times

---