

---

Subject: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Wed, 21 Mar 2012 11:33:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi everyone!

After rather long time, I'm finally closing in to my goal of having new, better packaging for Ubuntu and Debian. Unfortunately I don't have any of those systems installed, so I would like to ask all the good people around the forum who are adventurous enough to try untested packages

So if you are Ubuntu user, there are packages for Lucid, Maverick, Natty, Oneiric and Precise available in my testing PPA on Launchpad.

If you happen to use Debian, there are packages for Wheezy and Sid available for download from my dropbox.

All of these packages should be updated every night. As soon as I'm sure everything works as intended I'll start to move the infrastructure to the U++ servers and the packages will be uploaded into the "more official" locations.

Thanks in advance for any feedback you can give me

Best regards,  
Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Mon, 26 Mar 2012 16:09:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Just saw it.

What am I expected to do to test the package? I am eager to be of any help

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Mon, 26 Mar 2012 20:21:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Mon, 26 March 2012 18:09: Just saw it.

What am I expected to do to test the package? I am eager to be of any help  
Hi Lance,

Just try to install the package and use it as usually. If there are some problems, you will see them soon. If that happens, report the troubles here or contact me directly.

If you are using ubuntu, you can just change the PPA address in /etc/apt/sources.list (or sources.list.d/...) to point to "ppa:dolik-rce/uppnightly" (yes, it is really without the "-", it's the testing repository).

If you have debian, you will just have to download the packages and install them manually using "dpkg -i", gdebi or something similar. Later on, I'll try to create proper debian repository, but right now it is not priority.

Thanks for help,  
Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Mon, 26 Mar 2012 21:05:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

OK. I will.

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Tue, 27 Mar 2012 14:00:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

environment: ubuntu-oneiric-amd64 theide version 4714

Trying to access Package Organizer results in Theide crashes.

Eg: open the AddressBook from examples assembly, right click on "AddressBook" in the workspace area, select "Package Organizer" in the popup menu, theide crashes with error message "Fatal Error - Invalid memory access!".

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Tue, 27 Mar 2012 14:19:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Not sure if I should report these, but:

The following lines need to be revised to make g++-4.5 (?) happy.

1. CtrlLib/DateTimeCtrl.h

```
...
template<class T>
class DateTimeCtrl : public T {
    MultiButtonFrame drop;
```

```

CalendarClock cc;
...

void OnDrop() {
    if(!this->IsEditable())
        return;

    Size sz = cc.GetCalendarClockSize();

    int width = sz.cx;
    int height = sz.cy;

    //Rect rw = Ctrl::GetWorkArea();
    Rect rw = this->Ctrl::GetWorkArea();

    // Note: I have to add this-> to satisfy the compiler.
...

```

## 2. CtrlLib/ArrayCtrl.cpp

```

String ArrayCtrl::AsCsv(bool sel, int sep, bool hdr)
{
    //char h[2] = { sep, 0 }; // [ -fpermissive]
    char h[2] = { (char)sep, 0 };
    ...
}

```

## 3. Core/Util.cpp

```

String Decode64(const String& s)
{
    ...
    for(;;)
    {
        byte ea = *p++ - ' ' - 1, eb = *p++ - ' ' - 1, ec = *p++ - ' ' - 1, ed = *p++ - ' ' - 1;
        //byte out[3] = { (ea << 2) | (eb >> 4), (eb << 4) | (ec >> 2), (ec << 6) | (ed >> 0) }; // same
        -fpermissive
        byte out[3] = { byte((ea << 2) | (eb >> 4)), byte((eb << 4) | (ec >> 2)), byte((ec << 6) | (ed >> 0)) };
        ....
    }
}

```



Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Tue, 27 Mar 2012 16:17:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Tue, 27 March 2012 16:00environment: ubuntu-oneiric-amd64 theide version 4714

Trying to access Package Organizer results in TheIde crashes.

Eg: open the AddressBook from examples assembly, right click on "AddressBook" in the workspace area, select "Package Organizer" in the popup menu, theide crashes with error message "Fatal Error - Invalid memory access!".

Seems like I will have to install Ubuntu after all I'll try to build packages with debugging symbols and investigate. Right now I think it could be either caused by something specific in the ubuntu environment or by some difference in the build process caused by the new makefile.

I'm not sure about the errors in the sources... I've been using gcc 4.5 for a long time without any apparent troubles. Also launchpad used gcc 4.5.2 to compile theide for the natty packages without complaints, not even warning. Are you using some unusual compiler flags? Perhaps you could post a verbose output from the compiler compiling these files, including the command line.

Anyway, thanks a lot for your help Lance

Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Wed, 28 Mar 2012 03:31:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

You are very welcome!

Sorry I was wrong. The g++ I used was g++-4.6.

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Wed, 28 Mar 2012 05:49:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Wed, 28 March 2012 05:31You are very welcome!

Sorry I was wrong. The g++ I used was g++-4.6.  
Doesn't change much 4.6 is used for compilation in Oneiric on launchpad and it worked too...

Honza

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Tom1](#) on Wed, 28 Mar 2012 12:27:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I can confirm the same problem on Kubuntu Oneiric-i386.

Best regards,

Tom

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Wed, 28 Mar 2012 12:28:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Here is my gcc build method, no fancy compilation flags are discovered:

---

#### File Attachments

1) [theidegccbuildmethod.png](#), downloaded 659 times

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Wed, 28 Mar 2012 12:31:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The I restored upp src (local backup) to the original state, open AddressXML, F5 to build, and here is the first error message I encountered:

---

#### File Attachments

1) [source3.png](#), downloaded 632 times

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Wed, 28 Mar 2012 12:59:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

One more issue. Not sure if it's because my system only.

Every time I F5 to run a program, it will not close cleanly after I close the main window; at least Thelde believes it's still debugging the program. I have to use Debug/Stop debugging menu to fix

it.

Tom1, does this happen to you too?

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Tom1](#) on Wed, 28 Mar 2012 14:15:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Quote:One more issue. Not sure if it's because my system only.

Every time I F5 to run a program, it will not close cleanly after I close the main window; at least TheIde believes it's still debugging the program. I have to use Debug/Stop debugging menu to fix it.

Tom1, does this happen to you too?

Yes, it does. I just can't remember if it was like this before too. (I usually use 'Optimal' and Ctrl+F5 on Linux. I do my day-to-day coding on Win7, so on Linux I'm just making sure my software compiles and runs there too.)

Best regards,

Tom

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Thu, 29 Mar 2012 13:27:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi guys,

Thanks for the details. I finally managed to get ubuntu installed in virtualbox (took me one and a half days ) and found out even more problems. The setup wizard places the sources a little weirdly, some sources are missing and few other less important misfeatures. So I guess I still have some work to do

Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Fri, 30 Mar 2012 12:03:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Wed, 28 March 2012 14:28Here is my gcc build method, no fancy compilation flags are discovered:

Hi Lance,

There is one fancy option in your setup The "-std=c++0x" is the culprit. Without it, I can compile just fine, with it I get the same error as you. I put this issue to the redmine ( <http://www.ultimatepp.org/redmine/issues/269> ) and hopefully Mirek will fix it soon.

At least this was not related to the packaging I fixed the problem with the problem with missing sources already, so the last major problem is the invalid memory access when opening package organizer. I'll try to sort that out over the weekend.

Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Fri, 30 Mar 2012 12:24:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Oh I see.

The "Invalid memory access" issue is very important. Without it I can barely do anything meaningful in Ubuntu with TheIDE.

I will upgrade as soon as one is available and do more testing.

Thanks for your effort, Honza!

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Fri, 30 Mar 2012 13:44:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Fri, 30 March 2012 14:24I will upgrade as soon as one is available and do more testing.

I just submitted a package to launchpad which should build theide with debugging symbols (if I didn't make any mistakes ), so it should be possible to debug. If you want to try it, just look for theide version 4727-2dbg~oneiric0 in the same PPA as before. It should be ready in couple hours at most. I probably won't be anywhere near computer till tomorrow, so if you happen to find the reason of the problem, leave a message here

Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Sat, 31 Mar 2012 12:59:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I never debugged without the source but I will give it a try. Hopefully I can spend a couple of hours on it today.

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Sat, 31 Mar 2012 13:28:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

There are package conflicts that I don't know how to fix.

#### File Attachments

1) [Screenshot at 2012-03-31 09:23:51.png](#), downloaded 580 times

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Sat, 31 Mar 2012 14:06:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Sat, 31 March 2012 15:28: There are package conflicts that I don't know how to fix. Hi Lance,

That doesn't error even doesn't look like an error, the versions appear correct to me... Anyway, I still haven't manage to force launchpad to build the package with the debugging symbols, it still strips it away, rendering it useless for debugging. And by the way, you have the sources for theide, you'd just need to tell gdb where to look. It should work if you just type in command "directory /usr/share/upp/uppsrc" or something like that.

I'll let you know as soon as I convince launchpad to build the packages the way we need

Thanks for all the help,  
Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Sat, 31 Mar 2012 14:34:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Honza:

You're very welcome! It's a very rewarding learning experience for me, so please don't hesitate to ask me if you think I could be of any help.

Thanks,  
Lance

---

---



Subject: Re: Testers wanted for new .deb packages  
Posted by [Tom1](#) on Sun, 01 Apr 2012 10:02:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Honza,

It turned out custom build step: post-link step does not get \$(OUTPATH) parameter at all. It used to work at least with 4193.

Also, the 4730-oneiric-i386 still seems to have the package manager crash.

Best regards,

Tom

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Mon, 02 Apr 2012 08:39:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Finally, I have managed to properly build the package with theide debug symbols. It took me two days and 11 tries to notice that "-Wl,-s" that cause the symbols being stripped when linking

So anyone willing to debug theide from the testing repository can now install package theide-dbg in version >=4730-11dbg~oneiric0. After that, running "gdb theide" should automatically pick up the symbols located in /usr/lib/debug/usr/bin/theide. If you want to make gdb also show source, just execute e.g. "directory /usr/share/upp/uppsrc/Core" in gdb prompt to let it access Core sources.

Now I'll finally try to have a look at the invalid memory access.

Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Mon, 02 Apr 2012 09:36:55 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ok, so it seems to be a problem in the new refactored Value. The problem only shows when theide is compiled with the SVO\_VALUE flag.

One interesting thing is that it only happens on clean installation. Once I compile the non-SVO\_VALUE theide and open package organizer in it, it suddenly works in the SVO\_VALUE-enabled version too. I believe it is related to (de)serializing an empty value.

Stack backtrace for reference:Upp::Value::Serialize (this=0xbffdeb14, s=...) at /home/ubuntu/upp/uppsrc/Core/Value.cpp:292

Upp::operator%<Upp::Value> (s=..., x=...) at /home/ubuntu/upp/uppsrc/Core/Stream.h:608  
Upp::Ctrl::Serialize (this=0xbffdf2fc, s=...) at /home/ubuntu/upp/uppsrc/CtrlCore/Ctrl.cpp:231  
Upp::operator%<UppList> (s=..., x=...) at /home/ubuntu/upp/uppsrc/Core/Stream.h:608  
PackageEditor::Serialize (this=0xbffdecac, s=...) at /home/ubuntu/upp/uppsrc/ide/UppDlg.cpp:512  
EditPackages (main=0xbffe4d8c "ide", startwith=0xbffe3054 "ide", cfg=...) at  
/home/ubuntu/upp/uppsrc/ide/UppDlg.cpp:604  
Ide::EditWorkspace (this=0xbffe3fbc) at /home/ubuntu/upp/uppsrc/ide/ide.cpp:199  
...

Honza

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Mon, 02 Apr 2012 12:50:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Great!

I haven't been having a usable theide in Ubuntu for quite a while.

I don't know how to use gdb command line tool, so sorry I can not do much here.

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Tom1](#) on Fri, 06 Apr 2012 20:03:39 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Well done Honza, It seems package manager is back in action in the fresh 4748-oneiric-i386 deb build.

Unfortunately, the \$(OUTPATH) parameter is still not passed to the post-link step declared in Custom build steps... however \$(PATH) seems to get there with expected contents. (Where can I find the syntax of this custom build step language?)

Anyway, everything I tried is there now.

Thanks and best regards,

Tom

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [dolik.rce](#) on Fri, 06 Apr 2012 21:05:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Tom1 wrote on Fri, 06 April 2012 22:03 Well done Honza, It seems package manager is back in action in the fresh 4748-oneiric-i386 deb build.

---

Unfortunately, the \$(OUTPATH) parameter is still not passed to the post-link step declared in Custom build steps... however \$(PATH) seems to get there with expected contents. (Where can I find the syntax of this custom build step language?)

Anyway, everything I tried is there now.

Thanks and best regards,

Tom  
Hi Tom,

I'm glad you noticed the new version I did not test it yet, but I believe the bug crashing package organizer should be gone (I deactivated the SVO\_VALUE flag for now).

I don't think there is any documentation on the variables in custom build steps. The best place I can point you to is the source: uppsrc/ide/Builders/CppBuilder.cpp:242 or to the pop-up menu in the custom build step dialog, where all variables are described. By looking at the code, I see there's no such variable as OUTPATH. I guess you want to probably use OUTDIR...

By the way, did you try if this new version still has that annoying bug when the ide stays in debug even after the debugged program is terminated?

Thanks for your testing,  
Honza

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Tom1](#) on Sat, 07 Apr 2012 07:50:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Now I tested the debugging thing, but ide still remains in debugging mode after the debugged program has finished. Shift-F5 is required to get out of debugging mode.

--

As for the OUTPATH, it works in 4193 and gives the full path including filename to the output executable file. As it seems now, PATH gives this same thing and OUTPATH gives nothing... I guess it just has changed since 4193. (The resulting executable filename with full path is the one I need. and it is called PATH now.)

Best regards,

Tom

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [mirek](#) on Thu, 19 Apr 2012 08:59:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

dolik.rce wrote on Mon, 02 April 2012 05:36Ok, so it seems to be a problem in the new refactored Value. The problem only shows when theide is compiled with the SVO\_VALUE flag.

One interesting thing is that it only happens on clean installation. Once I compile the non-SVO\_VALUE theide and open package organizer in it, it suddenly works in the SVO\_VALUE-enabled version too. I believe it is related to (de)serializing an empty value.

Stack backtrace for reference:Upp::Value::Serialize (this=0xbffdeb14, s=...) at /home/ubuntu/upp/uppsrc/Core/Value.cpp:292

I might have found a culprit, can you check now?

Mirek

---

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Sat, 21 Apr 2012 02:54:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Works great except the remaining-in-debug-mode-after-program-exit problem.

Some minor issues I encountered when trying to compile and run a project I developed in Windows(MSC) on Ubuntu(g++ 4.6) - might not have anything to do with theide/upp at all.

1. FullScreen sample doesn't run properly in Ubuntu (session type) but fine in Ubuntu 2D (session type);
2. FullScreen different behaviour in multiple main window situation. In Windows, if I uncomment the OpenMain() sentence, it will cause the program to fail (assertion failure? don't quite remember) in debug mode.

```
static FullScreenPos& Get()
{
    if(!pInst)
    {
        pInst=new FullScreenPos;
        pInst->FullScreen();
        //pInst->OpenMain();
    }
    return *pInst;
}
```

But if in Linux, the window will not show if I don't uncomment the sentence.

3. In Ubuntu (session type), this problem doesn't exist, but in Ubuntu 2D (session type, I switched to it because full screen works properly under it), when I do something like this:

```
GUI_APP_MAIN
{
    // code in this block causes problem in Ubuntu 2D
    // LoginDlg is a simple window derived from TopWindow
    // for user authentication
    {
        LoginDlg dlg;
        dlg.Run();
        if(!dlg.OK())
            return;
        gTitle=dlg.userconf.GetValue();
    }

    ShowMainWindow();

    Ctrl::RegisterSystemHotKey(K_F2, callback(ShowFullScreenPos));
    Ctrl::RegisterSystemHotKey(K_F3, callback(ShowMainWindow));

    Ctrl::EventLoop();
}
```

The problem is that after the login dialog (which accepts keyboard input fine), keyboard events have absolutely no effects on the windows opened afterwards. Mouse inputs are not affected. There is one occurrence that this problem appears to be gone. But after I changed something and run again, it comes back again, consistently and persistently.

Sorry if these are off topic.

---

Subject: Re: Testers wanted for new .deb packages  
Posted by [Lance](#) on Sat, 21 Apr 2012 03:14:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Update: somehow above-mentioned problem 3 is gone again. No real change to code.

But may I please report another problem. The program now compiles and runs perfect in GCC Debug, but when I try to do it in GCC Speed, I got the following link error:

Linking...

```
/usr/bin/ld: /usr/lib/gcc/x86_64-linux-gnu/4.6.1/../../../../x86_64-linux-gnu/libfreetype.so: undefined
reference to symbol 'inflateInit2_
'
```

```
/usr/bin/ld: note: 'inflateInit2_' is defined in DSO
```

```
/usr/lib/gcc/x86_64-linux-gnu/4.6.1/../../../../x86_64-linux-gnu/libz.so so try addin
g it to the linker command line
```

```
/usr/lib/gcc/x86_64-linux-gnu/4.6.1/../../../../x86_64-linux-gnu/libz.so: could not read symbols: Invalid
operation
```

```
collect2: ld returned 1 exit status
```

---

Subject: New Ubuntu nightly packages released

Posted by [dolik.rce](#) on Fri, 18 May 2012 04:53:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello all,

Starting from todays version 4965, the new (hopefully better ) .deb packages are available in the upp-nightly PPA. The packages are build for the five latest versions: Lucid Lynx, Maverick Meerkat, Natty Narwhal, Oneiric Ocelot and Precise Pangolin.

As always, if you notice any weird behavior that might be related to the packaging, please let me know so I can check it and fix it.

Best regards,  
Honza

PS: The testing repository (dolik-rce/uppnightly) that some of you might have used for testing was deleted. Please switch to upp-nightly.

---

Subject: Re: New Ubuntu nightly packages released

Posted by [Zbych](#) on Fri, 18 May 2012 11:07:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I've installed just theide (wthout upp) on clean Ubuntu 12.04 and installer showed some errors:

Configuring build method GCC for g++

```
/var/lib/dpkg/info/theide.postinst: 22: /var/lib/dpkg/info/theide.postinst: cannot create
```

```
/usr/share/upp/GCC.bm: Directory nonexistent
```

```
Configuring build method GCC4.6 for g++-4.6
/var/lib/dpkg/info/theide.postinst: 22: /var/lib/dpkg/info/theide.postinst: cannot create
/usr/share/upp/GCC4.6.bm: Directory nonexistent
```

```
Configuring build method GCC for g++
/var/lib/dpkg/info/theide.postinst: 22: /var/lib/dpkg/info/theide.postinst: cannot create
/usr/share/upp/GCC.bm: Directory nonexistent
```

E: Sub-process /usr/bin/dpkg returned an error code (1)

errors:

Nie ma takiego pliku ani katalogu - no such file or directory

---

Subject: Re: New Ubuntu nightly packages released  
Posted by [dolik.rce](#) on Fri, 18 May 2012 12:13:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Zbych wrote on Fri, 18 May 2012 13:07Hi,

I've installed just theide (without upp) on clean Ubuntu 12.04 and installer showed some errors:

```
Configuring build method GCC for g++
/var/lib/dpkg/info/theide.postinst: 22: /var/lib/dpkg/info/theide.postinst: cannot create
/usr/share/upp/GCC.bm: Directory nonexistent
```

```
Configuring build method GCC4.6 for g++-4.6
/var/lib/dpkg/info/theide.postinst: 22: /var/lib/dpkg/info/theide.postinst: cannot create
/usr/share/upp/GCC4.6.bm: Directory nonexistent
```

```
Configuring build method GCC for g++
/var/lib/dpkg/info/theide.postinst: 22: /var/lib/dpkg/info/theide.postinst: cannot create
/usr/share/upp/GCC.bm: Directory nonexistent
```

E: Sub-process /usr/bin/dpkg returned an error code (1)

errors:

Nie ma takiego pliku ani katalogu - no such file or directory

Good catch, thanks for reporting. It'll be fixed in tomorrows packages.

Honza

---

---

Subject: Re: New Ubuntu nightly packages released  
Posted by [Lance](#) on Fri, 07 Dec 2012 04:00:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I haven't update upp in Ubuntu for a while. After a recent update, I notice all most all problems reported before are gone:

1. Now I can build gcc optimized;
2. Fullscreen back to normal;
3. Not-responding-to-keyboard problem also fixed;

Only problem remained is the remain-in-debug-mode-after-program-end problem.

Thank you, Honza!  
Lance

---

---

Subject: Re: New Ubuntu nightly packages released  
Posted by [dolik.rce](#) on Fri, 07 Dec 2012 06:07:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Fri, 07 December 2012 05:00I haven't update upp in Ubuntu for a while. After a recent update, I notice all most all problems reported before are gone:

1. Now I can build gcc optimized;
2. Fullscreen back to normal;
3. Not-responding-to-keyboard problem also fixed;

U++ is getting better everyday as the code is continually improved. It has really nothing to do with the packaging

Lance wrote on Fri, 07 December 2012 05:00Only problem remained is the remain-in-debug-mode-after-program-end problem.

Which debugging interface do you use, legacy or the new GDB\_MI2? You can find this in Setup->Environment->IDE.

Best regards,  
Honza

---



Subject: Re: New Ubuntu nightly packages released  
Posted by [Lance](#) on Fri, 07 Dec 2012 23:36:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Honza:

Thanks for the reply. It was "legacy", and I changed to "GDB\_Mli2(new)" and it works like a charm. Glad I mentioned it. I wouldn't otherwise know there is such an option.

Good to see U++ getting better by day!

Lance

---