

---

Subject: Can I cross compile to ARM?

Posted by [jerson](#) on Tue, 24 Apr 2012 04:52:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi

I've been using U++ for sometime now and GCC for embedded ARM development and have some questions related to these.

Since U++ is a cross platform GUI framework, can it be used to cross compile to an ARM cortex M0 platform? I believe the basic widgets are built in already and the GCC compiler can target ARM well.

I've been thinking of implementing a GUI for my embedded ARM project and have been considering using U++(due to familiarity) as the framework.

Is the framework tied to platform specific APIs that will be a hindrance in cross porting? Is it practical to cross port or will it be too much of a bother ?

Regards  
Jerson

---

Subject: Re: Can I cross compile to ARM?

Posted by [Zbych](#) on Tue, 24 Apr 2012 06:16:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

jerson wrote on Tue, 24 April 2012 06:52 Since U++ is a cross platform GUI framework, can it be used to cross compile to an ARM cortex M0 platform?

M0? M0 micros have usually up to 32kB of flash and a few kB of RAM. Forget about it. Even M3 or M4 with 192kB of internal RAM is too small. You would need external RAM.

---

Subject: Re: Can I cross compile to ARM?

Posted by [jerson](#) on Tue, 24 Apr 2012 06:47:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for the clarification.

I was tempted to ask because of this thread.

<http://www.seeedstudio.com/forum/viewtopic.php?f=10&t=2362&hilit=gui>

This person has created a complete GUI ( you can see the code here [http://pub.valky.eu/ds203ui\\_preview2.zip](http://pub.valky.eu/ds203ui_preview2.zip)) using VS 2000 C++.

Looking at the code, I feel it is autogenerated for the stm32 CM3 processor. I have asked the author how he did this and awaiting his reply.

Regards  
Jerson

---