

---

Subject: Storing VectorMap

Posted by [idkfa46](#) on Fri, 18 May 2012 07:12:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hallo guys,

I'm here again with a new little drawback xmlizing my VectorMap<Value, Value> v.

Xmlize pseudocode:

```
void prova6::Xmlize(XmlIO& xml)
{
    if(xml.IsLoading())
        {...}
    if(xml.IsStoring())
    {
        v.Add(elemento);

        XmlizeStore(xml, v);
        xml.Add("valori")
            ("elem", val);
    }
}
```

I'm trying to obtain something like this:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<!DOCTYPE Materiali>
<Materiali>
  <key>gcvh</key>
  <valori>
    <elem value="5"/>
  </valori>
</Materiali>
```

but, at the moment the result is:

```
<?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
<!DOCTYPE Materiali>
<Materiali>
  <key type="String">gcvh</key>
  <value type="void"/>
  <valori>
    <elem value="5"/>
  </valori>
</Materiali>
```

Is there a way to eliminate type="String" and <value type="void"/> ?

Regards,  
Matteo

---

---

Subject: Re: Storing VectorMap  
Posted by [idkfa46](#) on Fri, 18 May 2012 09:24:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Solved (thank you Max) using

VectorMap<int, String> v;

and

```
...
if(xml.IsStoring())
{
    v.Add(dl.GetCount(), elemento);

    XmlizeStore(xml, v.GetValues());
    xml.Add ("valori")
        ("elem", val)
        ;
...

```

Regards,  
Matteo

---