
Subject: Sql crash in 64 bit machine

Posted by [forlano](#) on Sun, 10 Jun 2012 08:27:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

it is the second time my customer signal a crash of my program under a 64 bit windows. It seems the problem reside in Sqlite plugin compiled at 32 bit (the whole program is compiled at 32 bit). Is this normal? Does it mean I must provvide a version for 32 bit and 64 bit?

Thanks,
Luigi

Subject: Re: Sql crash in 64 bit machine

Posted by [mirek](#) on Sun, 10 Jun 2012 08:39:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

forlano wrote on Sun, 10 June 2012 04:27Hello,

it is the second time my customer signal a crash of my program under a 64 bit windows. It seems the problem reside in Sqlite plugin compiled at 32 bit (the whole program is compiled at 32 bit). Is this normal? Does it mean I must provvide a version for 32 bit and 64 bit?

Thanks,
Luigi

No, 32-bit executables run in 64-bit windows just fine, there should be no difference.

I would say that perhaps you are doing something that makes sqlite occassionally crash, or that the cause of crash is in your code, but it is revealed in sqlite - you are sharing the address space with sqlite, so e.g. end of buffer overwrite in your code can corrupt sqlite memory...

Subject: Re: Sql crash in 64 bit machine

Posted by [forlano](#) on Sun, 10 Jun 2012 16:08:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Sun, 10 June 2012 10:39

No, 32-bit executables run in 64-bit windows just fine, there should be no difference.

Thanks.

I thought and hoped the same. In 32 bit the program is stable and do not crash. In 64 bit it does not work at the very beginning when the database is created.

The log file consists of rows similar to these:

* F:\orion\orion.exe 09.06.2012 19:56:30, user: User

```
SQL* create table TORNEO ( ID integer primary key )
ERROR library routine called out of sequence(0): Preparing: create table TORNEO ( ID integer
primary key )
SQL* alter table TORNEO add NAME text
ERROR library routine called out of sequence(0): Preparing: alter table TORNEO add NAME text
SQL* alter table TORNEO add PLACE text
ERROR library routine called out of sequence(0): Preparing: alter table TORNEO add PLACE
text
SQL* alter table TORNEO add HOSTFED text
ERROR library routine called out of sequence(0): Preparing: alter table TORNEO add HOSTFED
text
SQL* alter table TORNEO add DATEB text
ERROR library routine called out of sequence(0): Preparing: alter table TORNEO add DATEB
text
SQL* alter table TORNEO add DATEE text
ERROR library routine called out of sequence(0): Preparing: alter table TORNEO add DATEE
text
SQL* alter table TORNEO add PARBITER text
ERROR library routine called out of sequence(0): Preparing: alter table TORNEO add PARBITER
text
SQL* alter table TORNEO add DARBITER text
```

and this is the code that create it

```
void vegadb::SetDatabase(String dbname)
{
    if (sqliteVT.IsOpen()) sqliteVT.Close();
    // if(!sqliteVT.Open(ConfigFile(dbname))) {
        if (!FileExists(dbname)) {
            if(!sqliteVT.Open( dbname )) {
                Exclamation("Can't create or open database file");
                return;
            }
            SQL = sqliteVT;
            sqliteVT.SetTrace();
            SqlSchema sch(SQLITE3);
            All_Tables(sch);
            Sqlite3PerformScript(sch.Upgrade());
            Sqlite3PerformScript(sch.Attributes());
        }
    }
    else {
        if(!sqliteVT.Open( dbname )) {
```

```
    Exclamation("Can't create or open database file");
    return;
}
SQL = sqliteVT;
sqliteVT.SetTrace();
SqlSchema sch(SQLITE3);
}
SQL.ClearError();
}
```

I am sure these info are not enough to catch the problem, but maybe somebody got a similar problem.

Luigi

Subject: Re: Sql crash in 64 bit machine
Posted by [mirek](#) on Mon, 11 Jun 2012 08:14:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

This actually looks like database was opened twice or something like that... Have you googled these errors?

Subject: Re: Sql crash in 64 bit machine
Posted by [forlano](#) on Mon, 11 Jun 2012 12:48:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

mirek wrote on Mon, 11 June 2012 10:14 This actually looks like database was opened twice or something like that... Have you googled these errors?

Yes, I misuse the library

Error Code SQLITE_MISUSE (21) "Library routine called out of sequence"

The SQLITE_MISUSE error code is returned when you misuse the SQLite library in some way. SQLite does not guarantee that it will detect misuse, so you should not depend on this behavior in any way. The SQLITE_MISUSE error code is intended to help you find the bugs in your code.

Here are some possible causes of SQLITE_MISUSE:

Calling any API routine with an sqlite3* pointer that was not obtained from sqlite3_open() or sqlite3_open16() or which has already been closed by sqlite3_close().

Trying to use the same database connection at the same instant in time from two or more threads.

Calling `sqlite3_step()` with a `sqlite3_stmt*` statement pointer that was not obtained from `sqlite3_prepare()` or `sqlite3_prepare16()` or that has already been destroyed by `sqlite3_finalize()`.

Trying to bind values to a statement (using `sqlite3_bind_...()`) while that statement is running.

I'll check better.

Thank you,

luigi