

---

Subject: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Thu, 03 Jan 2013 19:04:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi all,

I'm about to push in a package that adds some special button styles. Actually it is named : ButtonStyles ... but I think the name may need some refactoring since it's a bit too general I think.

I'm open to all suggestions.

NB: the image shows only a few of the drawable styles.

I am currently coding a demo application that will show most of the possibilities.

---

#### File Attachments

1) [ButtonStyles.png](#), downloaded 511 times

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [BioBytes](#) on Sun, 06 Jan 2013 18:51:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Didier,

Thank you for developing new button styles for our preferred development tool (U++ !!). I suggest CustomButtons for package name.

Regards

Biobytess

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Mon, 07 Jan 2013 20:14:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Biobytess,

Thank you for your interest, I think CustomButtons will do it.

I'll rename the package and separate my code so that other people can add some more custom styles to it

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [lectus](#) on Mon, 07 Jan 2013 21:02:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Interesting. Is this opensource?

I'm interested in learning how to create these styles.

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Mon, 07 Jan 2013 21:44:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote: Interesting. Is this opensource?

Yes of course.

I need to add some a license.txt.

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [bushman](#) on Fri, 11 Jan 2013 02:13:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

How do they look like when disabled?

BTW, can anyone give me a hint on how to set the look of a disabled button label?

Tks!

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [mirek](#) on Sat, 09 Feb 2013 07:46:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Button::Style::textcolor[4]

There are 4 values, corresponding to

```
enum {
    CTRL_NORMAL, CTRL_HOT, CTRL_PRESSED, CTRL_DISABLED,
    CTRL_CHECKED, CTRL_HOTCHECKED
};
```

(regular button does not have checked/hotcheked states).

So the one you are looking for is Button::Style::textcolor[CTRL\_DISABLED].

Note that this pattern is quite standard for all of chameleon.

Mirek

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [mirek](#) on Sat, 09 Feb 2013 07:47:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Didier wrote on Thu, 03 January 2013 14:04Hi all,

I'm about to push in a package that adds some special button styles. Actually it is named :  
ButtonStyles ... but I think the name may need some refactoring since it's a bit too general I think.

I'm open to all suggestions.

NB: the image shows only a few of the drawable styles.

I am currently coding a demo application that will show most of the possibilities.

Nice, but I think it would look much better painted aliased.

Mirek

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Sat, 09 Feb 2013 10:50:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Mirek,

Quote:Nice, but I think it would look much better painted aliased

Yes I completely agree, but I can't get it working although I have put quite a lot of energy into it :  
there is something I am missing

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Sat, 09 Feb 2013 12:51:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I just uploaded a demo app that shows most of the drawing possibilities.

Quote:How do they look like when disabled?

Well it's up to you

Using chameleon you can select which look is applied to state of a button ( NORMAL, HOT, PRESSED, DISABLED )

Here is what the demo app looks like

---

#### File Attachments

---

1) [ButtonStyles\\_Demo.png](#), downloaded 887 times

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Tue, 07 May 2013 21:18:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi all,

I just updated the ButtonStyles/ButtonStyles\_Demo packages, the following enhancements have been brought:

painter anti-aliasing used to draw button

.usc file added to enable complete configuration of visual style through layout designer

Demo modified a bit

---

#### File Attachments

---

1) [ButtonStyles\\_demo.png](#), downloaded 802 times

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Sgifan](#) on Mon, 04 Nov 2013 12:32:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

just tried your package with u++ 6501 on win7 32bit with MSVC2010 compiler. It does not compile

on buttonStyles.h(163)

typedef TStyledButton<BUTTON> CLASSNAME;

With 'Invalid template argument for 'BUTTON', type expected

Any idea ?

Beside this the screen shots look so nice, any chance to find this package in bazaar ?

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Mon, 04 Nov 2013 20:04:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Sigfan,

`typedef TStyledButton<BUTTON> CLASSNAME;` is a very standard code syntax widely used in Upp code base.

You're error Invalid template argument for 'BUTTON', type expected seems to indicate that the template parameter you are trying to use is itself a template ... so you may be missing the 'typename' keyword.

NB: The way to use the code is the following:

`TStyledButton<Button> myCtrl;`

DO NOT FORGET to put a valid Ctrl as a template parameter !!!

It currently works with the following buttonCtrls :

Button

ButtonOption

Have you tried the `ButtonStyles_demo` application ?

Maybe you could post an example package showing the problem

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Sgifan](#) on Tue, 05 Nov 2013 07:50:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The error happens when I try to compile the `ButtonStyle_Demo`

I grabbed files manually from the SVN, here are the two packages

maybe i forgot to download something...

#### File Attachments

1) [ButtonStyles\\_Demo.zip](#), downloaded 385 times

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Tue, 05 Nov 2013 21:02:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi sgifan,

I just compared you're code to the version on SVN and you're version of ButtonStyles\_Demo is modified and does not compile ( due to modifications in the .lay file )

I recommend you update to the latest version I just committed ( just some cleaning that was waiting for deliver since some time now )

If it still does not compile, than it is probably a MSC related issue ( I have no current meens to compile for windows, I use linux ): can you post all the compiler error message please.

I will try to set-up MSC under wine (mine got broken some time ago and I coudn't get it fixed quickly )

---

---

Subject: Re: Help for naming a package bringing some styles to Button class  
Posted by [Sgifan](#) on Wed, 06 Nov 2013 07:32:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Then it maybe a MSC compiler issue. Because I tried again with your updated sources and results are the same.

here is the log (sorry for long post)

```
----- CtrlLib ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (1 / 27)
----- Controls4U ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (2 / 27)
----- ButtonStyles ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (3 / 27)
----- CtrlCore ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (4 / 27)
----- Draw ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (5 / 27)
ButtonsStyles.cpp
----- plugin/bmp ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (6 / 27)
----- RichText ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (7 / 27)
----- Core ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (8 / 27)
----- plugin/z ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (9 / 27)
----- plugin/png ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (10 / 27)
----- Functions4U ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (11 / 27)
----- ClassFactory ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (12 / 27)
----- Painter ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (13 / 27)
----- plugin/bz2 ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (14 / 27)
----- plugin/jpg ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (15 / 27)
----- plugin/gif ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (16 / 27)
----- plugin/tif ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (17 / 27)
----- ide/Browser ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (18 / 27)
----- CppBase ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (19 / 27)
----- ide/Common ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (20 / 27)
----- PdfDraw ( GUI SSE2 MT MSC10 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) (21 / 27)
```

----- RichEdit ( GUI SSE2 MT MSC10 DEBUG DEBUG\_FULL BLITZ WIN32 MSC ) (22 / 27)  
----- ide/Core ( GUI SSE2 MT MSC10 DEBUG DEBUG\_FULL BLITZ WIN32 MSC ) (23 / 27)  
----- Esc ( GUI SSE2 MT MSC10 DEBUG DEBUG\_FULL BLITZ WIN32 MSC ) (24 / 27)  
----- coff/binobj ( GUI SSE2 MT MSC10 DEBUG DEBUG\_FULL BLITZ WIN32 MSC ) (25 / 27)  
----- coff ( GUI SSE2 MT MSC10 DEBUG DEBUG\_FULL BLITZ WIN32 MSC ) (26 / 27)  
----- ButtonStyles\_Demo ( GUI SSE2 MT MAIN MSC10 DEBUG DEBUG\_FULL BLITZ WIN32  
MSC ) (27 / 27)

ButtonStyles: 1 file(s) built in (0:02.50), 2501 msecs / file, duration = 3916 msecs, parallelization 72%

C:\MyApps\ButtonStyles\ButtonStyles.h(163) : error C2974: 'ButtonStyles::TStyledButton' : invalid template argument for 'BUTTON', type expected

C:\MyApps\ButtonStyles\ButtonStyles.h(157) : see declaration of 'ButtonStyles::TStyledButton'

C:\MyApps\ButtonStyles\_Demo\ButtonStyles\_Demo.lay(11) : see reference to class template instantiation 'ButtonStyles::TStyledButton<BUTTON>' being compiled

with

[  
    BUTTON=Upp::Button  
]

C:\MyApps\ButtonStyles\_Demo\ButtonStyles\_Demo.lay(62) : see reference to class template instantiation 'WithButtonStyles\_DemoLayout<T>' being compiled

C:\MyApps\ButtonStyles\_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template argument for 'BUTTON', type expected

C:\MyApps\ButtonStyles\_Demo\main.cpp(49) : see declaration of 'FStyledButton'

C:\MyApps\ButtonStyles\_Demo\main.cpp(67) : see reference to class template instantiation 'FStyledButton<BUTTON,APP\_STYLE\_NUM>' being compiled

with

[  
    BUTTON=Upp::Button,  
    APP\_STYLE\_NUM=0  
]

C:\MyApps\ButtonStyles\_Demo\ButtonStyles\_Demo.lay(18) : see reference to class template instantiation 'MyButton<APP\_STYLE\_NUM>' being compiled

with

[  
    APP\_STYLE\_NUM=0  
]

C:\MyApps\ButtonStyles\_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template argument for 'BUTTON', type expected

C:\MyApps\ButtonStyles\_Demo\main.cpp(49) : see declaration of 'FStyledButton'

C:\MyApps\ButtonStyles\_Demo\main.cpp(67) : see reference to class template instantiation 'FStyledButton<BUTTON,APP\_STYLE\_NUM>' being compiled

with

[  
    BUTTON=Upp::Button,  
    APP\_STYLE\_NUM=183  
]

C:\MyApps\ButtonStyles\_Demo\ButtonStyles\_Demo.lay(19) : see reference to class template

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=183
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=2
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(20) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=2
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=3
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(21) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=3
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=1
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(22) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=1
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=66
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(23) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=66
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=67
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(24) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=67
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=65
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(25) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=65
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=130
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(26) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=130
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=129
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(27) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=129
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=29
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(28) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=29
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=46
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(29) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=46
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=61
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(30) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=61
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=62
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(31) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=62
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=93
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(32) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=93
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=174
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(33) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=174
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=63
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(34) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=63
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=127
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(35) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=127
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=191
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(36) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=191
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=21
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(37) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=21
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=38
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(38) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=38
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=53
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(39) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=53
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=54
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(40) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=54
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=85
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(41) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=85
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=55
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(43) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=55
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=119
    ]
    C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(44) : see reference to class template
```

```
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=119
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=131
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(46) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=131
    ]
C:\MyApps\ButtonStyles_Demo\main.cpp(51) : error C2974: 'FStyledButton' : invalid template
argument for 'BUTTON', type expected
    C:\MyApps\ButtonStyles_Demo\main.cpp(49) : see declaration of 'FStyledButton'
    C:\MyApps\ButtonStyles_Demo\main.cpp(67) : see reference to class template instantiation
'FStyledButton<BUTTON,APP_STYLE_NUM>' being compiled
    with
    [
        BUTTON=Upp::Button,
        APP_STYLE_NUM=166
    ]
C:\MyApps\ButtonStyles_Demo\ButtonStyles_Demo.lay(55) : see reference to class template
instantiation 'MyButton<APP_STYLE_NUM>' being compiled
    with
    [
        APP_STYLE_NUM=166
    ]
main.cpp
ButtonStyles_Demo: 1 file(s) built in (0:03.24), 3242 msecs / file, duration = 4649 msecs,
parallelization 61%
```

There were errors. (0:06.64)

---

---

Subject: Re: Help for naming a package bringing some styles to Button class  
Posted by [Sgifan](#) on Wed, 06 Nov 2013 22:18:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello again,

I confirm, your code works perfectly on linux (Ubuntu 13.10, u++ 6521, g++4.5)

Windows specific it seems

---

---

---

---

**Subject:** Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Wed, 06 Nov 2013 22:24:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi sigfan,

I have no idea what is going wrong.

I tried to reinstall MSC on wine and also reinstalled UPP on wine to have up to date code .... but doing so, I crashed my MyApps dir with all my code in it (UPP erased all the MyApps dir)

Fortunately I have a copy of it (but last copy was from about a month ago) and there is also svn copy for some packages, so ... I lost some work, but not too much in fact.

I will try to get a WIN PC for tomorrow to try and correct the issue, but no guarantee I can get one

---

---

---

---

**Subject:** Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Fri, 08 Nov 2013 17:10:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi sigfan,

I have a win computer available now, and I will try to correct the issue quickly

---

---

---

---

**Subject:** Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Fri, 08 Nov 2013 18:36:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi sigfan,

I just uploaded a version that compiles on WIN32.

The issue is quite silly in fact : it seems that "BUTTON" is already defined by MSC ==> so renaming BUTTON to T\_BUTTON corrected the issue

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [deep](#) on Sat, 31 Dec 2022 06:26:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I want to download ButtonStyles code.

Is it available on line ? Or can some one share it?

Thanks.

---

---

Subject: Re: Help for naming a package bringing some styles to Button class

Posted by [Didier](#) on Fri, 23 Feb 2024 17:34:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Deep,

It's been a long time since I connected myself to the forum so I missed you're msg : sorry :blush:  
Currently, my packages are not on github or upphub (at least not yet)  
I will publish all of them soon.

Better late than never, it may be useful to someone else

---