
Subject: Skylark and Date/Time format

Posted by [Zbych](#) on Fri, 01 Feb 2013 20:20:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have a few questions regarding date/time formatting in skylark.

When I try to set date scan and print format in main, all settings seem to be ignored.

I have to call SetDateFormat, SetDateScan, SetDateFilter in page handler to force my format.

What is correct way of setting locales in skylark application?

BTW Correct me if I am wrong but the only proper date format for web applications is YYYY-MM-DD and this should be default setting for skylark.

Second problem appears when I receive variable from http, want to modify it and send back to witz script, http keeps old value of variable.

For example:

```
int i = ScanInt(http["NUM"]);
i++;
http("NUM", i)("NUM2", i).RenderResult(MyApp/script.witz)
```

NUM keeps old value, NUM2 new value. Is it correct behavior?

Below is complete example:

```
#include <Skylark/Skylark.h>
```

```
using namespace Upp;
```

```
SKYLARK(HomePage, "")
```

```
{
// SetDateFormat("%1:04d-%2:02d-%3:02d");
// SetDateScan("ymd");
// SetDateFilter("A\^a .-");
```

```

Date d = ScanDate((String)http["ID"]);
RLOG(Format("Date befor scan: %s, after scan %`", http["ID"], d));
d = AddMonths(d, 1);
http
("ID", Format("%`", d))
("ID2", Format("%`", d))
.RenderResult("Skylark05/index");
}
```

```
struct MyApp : SkylarkApp {
```

```

MyApp() {
    root = "myapp";
#ifdef _DEBUG
    prefork = 0;
    use_caching = false;
#endif
}
};

```

```

CONSOLE_APP_MAIN
{
    SetDateFormat("%1:04d-%2:02d-%3:02d");
    SetDateScan("ymd");
    SetDateFilter("A\\a .-");
#ifdef _DEBUG
    StdLogSetup(LOG_FILE|LOG_COUT);
    Ini::skylark_log = true;
#endif

    MyApp().Run();
}

```

index.witz:

```

<html>
<body>
<form action=$HomePage method="get" accept-charset="utf-8" enctype="multipart/form-data">
    <P>
        <INPUT type="date" name="ID" value="$ID">
        <INPUT type="submit" value="Submit">
    </P>
</form>
ID2 = $ID2
</body>
</html>

```

Subject: Re: Skylark and Date/Time format
 Posted by [dolik.rce](#) on Fri, 01 Feb 2013 21:26:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Zbych,

If I remember correctly, the date formatting and possibly other things are affected by the call to `SetLanguage()` for each request separately based on the `__lang__` session variable. So that explains why you need to call `SetDateScan()` if you need some specific setting... Regarding the formatting for output, I prefer to use `FormatDate` with specific formatting string, it saves me from

this problems.

The second problem has a simple reason: The operator() of Http does not replace the content of variable if it exists, it adds another variable of the same name. Only the first one is however used in the template. Perhaps it should use GetAdd() instead of simple Add() in this...

BTW: Try adding \$set() to your template, it helps a lot with debugging situations like this.

Best regards,
Honza

PS: I think the proper format for web apps is that which is simplest to use In some cases a timestamp, in other cases YYYY-MM-DD or anything else that is simple to work with and that suits the clients side needs...

Subject: Re: Skylark and Date/Time format
Posted by [Zbych](#) on Fri, 01 Feb 2013 21:52:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

dolik.rce wrote on Fri, 01 February 2013 22:26PS: I think the proper format for web apps is that which is simplest to use In some cases a timestamp, in other cases YYYY-MM-DD or anything else that is simple to work with and that suits the clients side needs...

Input fields like <input type="date"/>, <input type="datetime"/>, tags <time datetime="2013-02-01"></time> expect YYYY-MM-DDTHH:MM:SS.SSS+ZH:MM format, that's why I think it should be default in skylark.

Subject: Re: Skylark and Date/Time format
Posted by [mirek](#) on Sat, 09 Feb 2013 11:34:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

1. variable setting issue - this definitely is/was a problem, I have changed Add to GetAdd, should be fixed now.

2. The problem with Date/Time - I think that Zbych is basically right, OTOH we still also need to have LNG format for date (for regular text). I guess the solution is to provide one format as default (I think default should YYYY-MM-DDTHH:MM:SS) and second via function (e.g. Lng(date)). Quite easy to do, but I would like to have confirmation on this, so please comment

(BTW, note that the set of witz funcions is easily extensible, so for now, if in hurry, you can resolve the issue by adding some function).

Subject: Re: Skylark and Date/Time format
Posted by [Zbych](#) on Mon, 11 Feb 2013 11:33:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

I tested latest changes (Add/GetAdd) and they don't work as intended. Old value is not replaced by new one. New value is simply added to the list. Test case from my first post returns following list:

```
ID VALUE
ID 2013-02-06
.__identity__
static myapp/static
.__lang__ 178867
.language en-us
ID 2013-03-06
ID2 2013-03-06
```

Subject: Re: Skylark and Date/Time format
Posted by [Zbych](#) on Mon, 11 Feb 2013 13:11:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mirek, It appears that you forgot to update operator() in http class.

Line 93 in http.h:

```
Http& operator()(const char *id, const char *v) { var.GetAdd(id) = v; return *this; }
Http& operator()(const char *id, const String& v) { var.GetAdd(id) = v; return *this; }
Http& operator()(const char *id, const Value& v) { var.GetAdd(id) = v; return *this; }
```

Subject: Re: Skylark and Date/Time format
Posted by [mirek](#) on Mon, 11 Feb 2013 15:44:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Zbych wrote on Mon, 11 February 2013 08:11Mirek, It appears that you forgot to update operator() in http class.

Line 93 in http.h:

```
Http& operator()(const char *id, const char *v) { var.GetAdd(id) = v; return *this; }
Http& operator()(const char *id, const String& v) { var.GetAdd(id) = v; return *this; }
```

```
Http& operator()(const char *id, const Value& v) { var.GetAdd(id) = v; return *this; }
```

Ops, thanks, should be now fixed.
