
Subject: Build debian package on Debian/kFreeBSD
Posted by [vicxtor](#) on Fri, 08 Nov 2013 17:48:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

My OS is Debian/kFreeBSD 7.0.2.

Source packages are downloaded from <http://upp.invothink.com/release/pool/main/u/upp/>

When I build upp_5485-1~wheezy0 I got some error messages.

Using flags GUI GCC DEBUG DEBUG_FULL GNU/KFREEBSD POSIX

uppsrc/Core/config.h:45:6: error: #error Unknown OS

Could you help me to fix this issue ?

Thanks.

Subject: Re: Build debian package on Debian/kFreeBSD
Posted by [vicxtor](#) on Sat, 09 Nov 2013 08:56:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all,

I chang some compile config,

1. upp_5485.orig.tar.gz

upp-x11-src-5485/uppsrc/Core/config.h L44 ~ L46

from

```
#else
    #error Unknown OS
#endif
```

to

```
#else
    #define PLATFORM_LINUX 1
#endif
```

2. upp_5485-1~wheezy0.debian.tar.gz

debian/patches/debian-changes-5485-1~sid0

L402
from
@@ -0,0 +1,378 @@
to
@@ -0,0 +1,382 @@

L466 add 4 lines

```
+INCPATHS+= /usr/lib/i386-kfreebsd-gnu/glib-2.0/include
+INCPATHS+= /usr/lib/x86_64-kfreebsd-gnu/glib-2.0/include
+INCPATHS+= /usr/lib/i386-kfreebsd-gnu/gtk-2.0/include
+INCPATHS+= /usr/lib/x86_64-kfreebsd-gnu/gtk-2.0/include
```

3.

```
dpkg-source --no-check -x upp_5485-1~wheezy0.dsc
cd upp-5485
dpkg-buildpackage -rfakeboot -b
```

all files compiled successfully but have link errors

```
Linking /home/fenix/Downloads/upp-5485/ide
_out/Draw/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Draw.a (FontFc.cpp.o): In
function `Upp::sInitFt()':
/home/fenix/Downloads/upp-5485/upsrsrc/Draw/FontFc.cpp:24: undefined reference to
`FT_Init_FreeType'
_out/Draw/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Draw.a (FontFc.cpp.o): In
function `Upp::CreateFcPattern(Upp::Font)':
/home/fenix/Downloads/up_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.G
NU/KFREEBSD.GUI.POSIX/CtrlCore.a(DrawX11.cpp.o): In function `Upp::InitX11Draw(char
const*)':
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawX11.cpp:2 37: undefined reference to
`gtk_init'
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawX11.cpp:2 38: undefined reference to
`gtk_window_new'
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawX11.cpp:2 39: undefined reference to
`gtk_widget_get_display'
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawX11.cpp:2 40: undefined reference to
`gdk_x11_display_get_xdisplay'
p-5485/upsrsrc/Draw/FontFc.cpp:33: undefined reference to `FcPatternCreate'
/home/fenix/Downloads/upp-5485/upsrsrc/Draw/FontFc.cpp:34: undefined reference to
`FcPatternAddString'
/home/fenix/Downloads/upp-5485/upsrsrc/Draw/FontFc.cpp:35: undefined reference to
`FcPatternAddInteger'

_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Ct
rlCore.a(DrawTextX11.cpp.o): In function `Upp::GetXftFont(Upp::Font, int)':
```

```
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawTextX11.c pp:96: undefined reference to  
'XftFontClose'  
_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Ct  
rlCore.a(DrawTextX11.cpp.o): In function `Upp::XftGetFontInfoSys(Upp::Font)':  
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawTextX11.c pp:124: undefined reference  
to `FcPatternGetString'  
_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Ct  
rlCore.a(DrawTextX11.cpp.o): In function `Upp::XftGetGlyphInfoSys(Upp::Font, int)':  
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawTextX11.c pp:135: undefined reference  
to `XftTextExtents16'
```

many similar messages like above.

libs are in /usr/lib/x86_64-kfreebsd-gnu

Do you know how to fix these issues ?

Thanks.

Subject: Re: Build debian package on Debian/kFreeBSD

Posted by [dolik.rce](#) on Sun, 10 Nov 2013 17:00:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi vicxtor

First of all, welcome to the forum

Second, congratulations on being (probably) the first user ever to try U++ on Debian/kfreebsd

Starting with the source packages as you did was a good idea. The problem is, that Debian/kfreebsd is somewhat on the edge of two platforms. Both Linux and FreeBSD are supported, but their combination as it is in Debian/kfreebsd might be little tricky for the configuration.

vicxtor wrote on Sat, 09 November 2013 09:56Hi all,

I chang some compile config,

1. upp_5485.orig.tar.gz

upp-x11-src-5485/upsrsrc/Core/config.h L44 ~ L46

from

```
#else
    #error Unknown OS
#endif
```

to

```
#else
    #define PLATFORM_LINUX 1
#endif
As a quick fix it is ok, but we should fix it in proper way Something like this should work: #elif
__FreeBSD_kernel__ && __GLIBC__
#define PLATFORM_LINUX 1
#else
#error Unknown OS
#endif
```

vicxtor wrote on Sat, 09 November 2013 09:562.upp_5485-1~wheezy0.debian.tar.gz

debian/patches/debian-changes-5485-1~sid0

L402

from
@@ -0,0 +1,378 @@
to
@@ -0,0 +1,382 @@

L466 add 4 lines

```
+INCPATHS+= /usr/lib/i386-kfreebsd-gnu/glib-2.0/include
+INCPATHS+= /usr/lib/x86_64-kfreebsd-gnu/glib-2.0/include
+INCPATHS+= /usr/lib/i386-kfreebsd-gnu/gtk-2.0/include
+INCPATHS+= /usr/lib/x86_64-kfreebsd-gnu/gtk-2.0/include
```

This seems ok and should work as expected.

vicxtor wrote on Sat, 09 November 2013 09:563.

```
dpkg-source --no-check -x upp_5485-1~wheezy0.dsc
cd upp-5485
dpkg-buildpackage -rfakeboot -b
```

all files compiled successfully but have link errors

```
Linking /home/fenix/Downloads/upp-5485/ide
_out/Draw/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Draw.a (FontFc.cpp.o):
In function `Upp::sInitFt()':
/home/fenix/Downloads/upp-5485/upsrsrc/Draw/FontFc.cpp:24: undefined reference to
`FT_Init_FreeType'
_out/Draw/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Draw.a (FontFc.cpp.o):
In function `Upp::CreateFcPattern(Upp::Font)':
/home/fenix/Downloads/up_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.G
NU/KFREEBSD.GUI.POSIX/CtrlCore.a(DrawX11.cpp.o): In function `Upp::InitX11Draw(char
const*)':
/home/fenix/Downloads/upp-5485/upsrsrc/CtrlCore/DrawX11.cpp:2 37: undefined reference to
```

```

`gtk_init'
/home/fenix/Downloads/upp-5485/uppsrc/CtrlCore/DrawX11.cpp:2 38: undefined reference to
`gtk_window_new'
/home/fenix/Downloads/upp-5485/uppsrc/CtrlCore/DrawX11.cpp:2 39: undefined reference to
`gtk_widget_get_display'
/home/fenix/Downloads/upp-5485/uppsrc/CtrlCore/DrawX11.cpp:2 40: undefined reference to
`gdk_x11_display_get_xdisplay'
p-5485/uppsrc/Draw/FontFc.cpp:33: undefined reference to `FcPatternCreate'
/home/fenix/Downloads/upp-5485/uppsrc/Draw/FontFc.cpp:34: undefined reference to
`FcPatternAddString'
/home/fenix/Downloads/upp-5485/uppsrc/Draw/FontFc.cpp:35: undefined reference to
`FcPatternAddInteger'

_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Ct
rlCore.a(DrawTextX11.cpp.o): In function `Upp::GetXftFont(Upp::Font, int)':
/home/fenix/Downloads/upp-5485/uppsrc/CtrlCore/DrawTextX11.c pp:96: undefined reference to
`XftFontClose'
_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Ct
rlCore.a(DrawTextX11.cpp.o): In function `Upp::XftGetFontInfoSys(Upp::Font)':
/home/fenix/Downloads/upp-5485/uppsrc/CtrlCore/DrawTextX11.c pp:124: undefined reference
to `FcPatternGetString'
_out/CtrlCore/DEBUG.DEBUG_FULL.GCC.GNU/KFREEBSD.GUI.POSIX/Ct
rlCore.a(DrawTextX11.cpp.o): In function `Upp::XftGetGlyphInfoSys(Upp::Font, int)':
/home/fenix/Downloads/upp-5485/uppsrc/CtrlCore/DrawTextX11.c pp:135: undefined reference
to `XftTextExtents16'

```

many similar messages like above.
libs are in /usr/lib/x86_64-kfreebsd-gnu

Do you know how to fix these issues ?

This is probably related to fontconfig. I'm not sure what exactly might be the problem, but I'd suggest to try compiling theide without it. There is actually already package that does this. It is called theide-nogtk, but the dpkg-buildpackage probably fails before it gets so far. Can you try to remove sections of debian/control that correspond to packages theide and theide-dbg? The rest might compile just fine...

Also, the flags detected by the makefile are not quite correct. Not sure if that makes some difference, but it might. You can fix them by adding PLATFORM=LINUX to the compiler lines in makefile:ide:

```

sed -i -e 's/IDE_VERSION[ \t]*"\([0-9]*\)[^"]*"/IDE_VERSION    "\1-'$SERIES)-$(ARCH)""/'
$(CURDIR)/uppsrc/ide/version.h
$(MAKE) -f mkfile JOBS=$(JOBS) PKG=ide "NESTS=uppsrc" $(OPTS) "FLAGS=GUI GCC
DEBUG DEBUG_FULL" TARGET=`pwd`/$@ PLATFORM=LINUX

```

ide-nogtk:
sed -i -e 's/IDE_VERSION[\t]*"\([0-9]*\)[^"]*"/IDE_VERSION "\1-'\$SERIES)-\$(ARCH)'-nogtk"'/'
\$(CURDIR)/uppsrc/ide/version.h

```
$(MAKE) -f mkfile JOBS=$(JOBS) PKG=ide "NESTS=uppsrc" $(OPTS) "FLAGS=GUI NOGTK  
GCC" TARGET=`pwd`/$@ PLATFORM=LINUX
```

umk:

```
$(MAKE) -f mkfile JOBS=$(JOBS) PKG=umk "NESTS=uppsrc" $(OPTS) "FLAGS=GCC"  
TARGET=`pwd`/$@ PLATFORM=LINUX
```

Hope this helps... If not, let me know what else needs to be fixed

Best regards,
Honza

Subject: Re: Build debian package on Debian/kFreeBSD
Posted by [vicxtor](#) on Tue, 12 Nov 2013 17:30:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:Also, the flags detected by the makefile are not quite correct. Not sure if that makes some difference, but it might. You can fix them by adding PLATFORM=LINUX to the compiler lines in makefile:ide:

```
sed -i -e 's/IDE_VERSION[ \t]*"\([0-9]*\)[^"]*/IDE_VERSION    "\1-'$($SERIES)-$($ARCH)"/'  
$(CURDIR)/uppsrc/ide/version.h  
$(MAKE) -f mkfile JOBS=$(JOBS) PKG=ide "NESTS=uppsrc" $(OPTS) "FLAGS=GUI GCC  
DEBUG DEBUG_FULL" TARGET=`pwd`/$@ PLATFORM=LINUX
```

ide-nogtk:

```
sed -i -e 's/IDE_VERSION[ \t]*"\([0-9]*\)[^"]*/IDE_VERSION    "\1-'$($SERIES)-$($ARCH)'-nogtk"/'  
$(CURDIR)/uppsrc/ide/version.h  
$(MAKE) -f mkfile JOBS=$(JOBS) PKG=ide "NESTS=uppsrc" $(OPTS) "FLAGS=GUI NOGTK  
GCC" TARGET=`pwd`/$@ PLATFORM=LINUX
```

umk:

```
$(MAKE) -f mkfile JOBS=$(JOBS) PKG=umk "NESTS=uppsrc" $(OPTS) "FLAGS=GCC"  
TARGET=`pwd`/$@ PLATFORM=LINUX
```

Hope this helps... If not, let me know what else needs to be fixed

Best regards,
Honza

This fix is correct.

I modify the patch debian-changes-5485-1~sid0
from
+PLATFORM:=`uname | tr a-z A-Z` POSIX
to

+PLATFORM:=`uname | tr a-z A-Z` LINUX POSIX

then all files compiled successfully and all .debs generated.

Install and run some GUI tutorials without problems.

Tested on Debian/kFreeBSD 7 i386 & amd64.

Thank you very much.

Subject: Re: Build debian package on Debian/kFreeBSD

Posted by [dolik.rce](#) **on** Tue, 12 Nov 2013 18:54:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

vicxtor wrote on Tue, 12 November 2013 18:30
Install and run some GUI tutorials without problems.

Tested on Debian/kFreeBSD 7 i386 & amd64.

Thank you very much.

That's great news!

I'll try to incorporate it into the Makefile, so you don't have to modify the deb manually next time.

Enjoy the coding with U++!

Honza
