
Subject: How to compile svn-package with NoGTK?
Posted by [slashupp](#) on Sat, 04 Jan 2014 09:24:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm using <http://www.ultimatepp.org/downloads/upp-x11-src-6715.tar.gz> to build, but it does so using GTK by default.

I do not want GTK, how do I compile this package using the nogtk-flag?

Subject: Re: How to compile svn-package with NoGTK?
Posted by [dolik.rce](#) on Sat, 04 Jan 2014 10:17:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

slashupp wrote on Sat, 04 January 2014 10:24 I'm using
<http://www.ultimatepp.org/downloads/upp-x11-src-6715.tar.gz> to build, but it does so using GTK by default.

I do not want GTK, how do I compile this package using the nogtk-flag?
Hi slashupp,

I'm afraid that is not really possible with the pregenerated makefile

But if you wish, you can grab a copy of the universal makefile and run it like this:
cd
upp-x11-src-6715
make -f /path/to/mkfile PKG=ide FLAGS=".NOGTK GUI GCC"
That should do the trick. It also works for most other packages. More details about the usage can be found in the makefile itself.

Best regards,
Honza

Subject: Re: How to compile svn-package with NoGTK?
Posted by [slashupp](#) on Sat, 04 Jan 2014 10:58:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thx Honza

Tried it, result:

```
slashupp:~/upp_tar_6715_nogtk/upp-x11-src-6715$ make -f ../mkfile PKG=ide FLAGS=".NOGTK GUI GCC"
Extracting parser...
0.00user 0.00system 0:00.00elapsed 75%CPU (0avgtext+0avgdata 3680maxresident)k
0inputs+0outputs (0major+290minor)pagefaults 0swaps
Compiling parser...
```

```
0.20user 0.01system 0:00.22elapsed 95%CPU (0avgtext+0avgdata 113328maxresident)k
0inputs+2016outputs (0major+14133minor)pagefaults 0swaps
Extracting brc parser...
0.00user 0.00system 0:00.00elapsed ?%CPU (0avgtext+0avgdata 3664maxresident)k
0inputs+0outputs (0major+289minor)pagefaults 0swaps
Extracting colorizer script...
0.00user 0.00system 0:00.00elapsed ?%CPU (0avgtext+0avgdata 3680maxresident)k
0inputs+0outputs (0major+290minor)pagefaults 0swaps
/bin/sh: 5: Syntax error: "then" unexpected (expecting "done")
make: *** [do-build] Error 2
```

Any advice?

Subject: Re: How to compile svn-package with NoGTK?

Posted by [dolik.rce](#) on Sat, 04 Jan 2014 11:28:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

Can you please run it once more with `make -f /path/to/mkfile PKG=ide FLAGS=".NOGTK GUI GCC" ECHO=1 e=`

You can also add `"TIME="` to get rid of those ugly timings, which don't work on some shells for some reason I haven't yet found...

Honza

Subject: Re: How to compile svn-package with NoGTK?

Posted by [slashupp](#) on Sat, 04 Jan 2014 11:46:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Didn't work with the command ending in: `e=`
but when I added `TIME=` it seems to do something but failed with:

```
//snip..
_out/CtrlLib/GCC.GUI.LINUX.NOGTK.POSIX/CtrlLib.a(StatusBar.c
pp.o):(.rodata._ZTVN3Upp8InfoCtrlE[_ZTVN3Upp8InfoCtrlE]+0x10 ): undefined reference to
`Upp::Ctrl::EventProc(Upp::Ctrl::XWindow&, _XEvent*)'
_out/CtrlLib/GCC.GUI.LINUX.NOGTK.POSIX/CtrlLib.a(StatusBar.c
pp.o):(.rodata._ZTVN3Upp8InfoCtrlE[_ZTVN3Upp8InfoCtrlE]+0x18 ): undefined reference to
`Upp::Ctrl::HookProc(_XEvent*)'
_out/CtrlLib/GCC.GUI.LINUX.NOGTK.POSIX/CtrlLib.a(TreeCtrl.cp
p.o):(.rodata._ZTVN3Upp10OptionTreeE[_ZTVN3Upp10OptionTreeE] +0x10): undefined
reference to `Upp::Ctrl::EventProc(Upp::Ctrl::XWindow&, _XEvent*)'
_out/CtrlLib/GCC.GUI.LINUX.NOGTK.POSIX/CtrlLib.a(TreeCtrl.cp
p.o):(.rodata._ZTVN3Upp10OptionTreeE[_ZTVN3Upp10OptionTreeE] +0x18): undefined
```

```
reference to `Upp::Ctrl::HookProc(_XEvent*)'
_out/CtrlLib/GCC.GUI.LINUX.NOGTK.POSIX/CtrlLib.a(TreeCtrl.cp
p.o):(.rodata._ZTVN3Upp8TreeCtrlE[_ZTVN3Upp8TreeCtrlE]+0x10) : undefined reference to
`Upp::Ctrl::EventProc(Upp::Ctrl::XWindow&, _XEvent*)'
_out/CtrlLib/GCC.GUI.LINUX.NOGTK.POSIX/CtrlLib.a(TreeCtrl.cp
p.o):(.rodata._ZTVN3Upp8TreeCtrlE[_ZTVN3Upp8TreeCtrlE]+0x18) : undefined reference to
`Upp::Ctrl::HookProc(_XEvent*)'
collect2: error: ld returned 1 exit status
make[1]: *** [_out/bin/ide] Error 1
\e[1mPackage\e[0m \e[1;34mide\e[0m\e[1m finished ... \e[0m
for pkg in ide; do \
  if [ "0" = "1" ]; then \
    for target in "" "_out/bin/" "_out/bin/$pkg"; do \
      [ -f "$target" ] && break; \
    done; \
    [ -e "$target" ] && { [ "0" = "1" ] || echo "Running $target"; } && $target; \
  fi; \
done
~$
//..snip
```

Subject: Re: How to compile svn-package with NoGTK?

Posted by [slashupp](#) on Sat, 04 Jan 2014 11:59:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

(I would normally use the debian-repos, but ever since this message:
<http://www.ultimatepp.org/forum/index.php?t=msg&th=7814&start=0&>
those repos does not work)

Subject: Re: How to compile svn-package with NoGTK?

Posted by [Klugier](#) on Sat, 04 Jan 2014 13:40:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello slashupp

For me following command do the trick:

```
make -f mkfile PKG=ide FLAGS="GUI X11 MT SSE2" ECHO=1 e= TIME=
```

P.S.

Flag ".NoGTK" dosen't turn off GTK backend! (Use X11 insted of it).

P.S 2

After compiling Ide the new binary version can be found in following dir: _out/bin/ide (Just copy it to your standard upp dir and rename executable to "theide")

Sincerely,
Klugier

Subject: Re: How to compile svn-package with NoGTK?
Posted by [slashupp](#) on Sat, 04 Jan 2014 14:34:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

thx klugier

well, it compiled and runs .. but only shows an empty package/assembly selector

and there are no upp-directories, only a .upp - how do I set all this up and get theide to find them?

(this feels like it's getting messy - is there a better way in which I can setup a no-gtk theide where it creates what it needs by itself?)

Subject: Re: How to compile svn-package with NoGTK?
Posted by [Klugier](#) on Sat, 04 Jan 2014 15:39:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello slashupp,

Quote:

well, it compiled and runs .. but only shows an empty package/assembly selector

Did you copy "ide" to directory where TheIDE was installed before (or move it to directory where it should be after standard compilation process). If it doesn't help just configure ide one more time.

Quote:

(this feels like it's getting messy - is there a better way in which I can setup a no-gtk theide where it creates what it needs by itself?)

I think, we should think about adding configuration script to POSIX Ultimate++ distribution. BTW standard makefile has got one important limitation it uses only one core. Configure file will enable us getting rid of this limitation.

P.S. (Very important!!!)

Make sure that binary file calls "theide" insted of "ide".

Sincerely,
Klugier

Subject: Re: How to compile svn-package with NoGTK?

Posted by [dolik.rce](#) on Sun, 05 Jan 2014 11:44:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

First of all, thanks klugier for help, while I was off-line You were only slightly wrong:klugierP.S. Flag ".NoGTK" dosen't turn off GTK backend! (Use X11 insted of it).This is already fixed, so that NOGTK implies X11 backend

Now, back to the topic It's good to hear that you got it working slashupp, the configuration shouldn't be that hard now. As Klugier noted, it is important to use 'theide' as an executable name, because it then searches for config in ~/.upp/<name>/. If you're trying to install on fresh system (no previous upp installation), you should take a look into doinstall file in the sources, it contains all commands needed for basic installation. You could probably even run it as is, provided you move the compiled theide binary into the same folder. Alternatively, on fresh install theide should present you with the source management wizard on the first run. That should help you to set up the assemblies etc. correctly...

slashupp(I would normally use the debian-repos, but ever since this message:

<http://www.ultimatepp.org/forum/index.php?t=msg&th=7814&start=0&>

those repos does not work)I already tried to figure that issue out few times, but still no success :-/

Meanwhile, you could use packages from OBS. To add the repository to your system, add following to your /etc/apt/sources.list:deb

http://download.opensuse.org/repositories/home:/dolik_rce:/nightly/Debian_7.0 ./

Supported architectures are i586 and x84_64. Debian 6.0 repository exists as well, but GTK backend currently doesn't compile there, so entire package build fails Also note, that the word "nightly" doesn't mean it is updated every night, I just push new version (based on actual nightly sources) from time to time (but still by far more often then the official releases), at least once a month, but usually about once a week or often.

And last bit of information Out of curiosity, I dug out the exact invocation of the makefile that is used when building the debian packages and therefore should be also suitable for you:make -f mkfile JOBS=1 PKG=ide "NESTS=uppsrc" CC="cc -g" CXX="c++ -g" CFLAGS="-g" CXXFLAGS="-g" LDFLAGS="-Wl,--gc-sections -Wl,-O,2" TIME= COLOR=0 USEMAINCFG=0 "FLAGS=GUI NOGTK GCC" TARGET=`pwd`/theide It is bit more complex, but not much Also, it keeps debugging symbols (those would be striped out later when packaging it), so it will produce larger binary. Just remove the CFLAGS, CXXFLAGS, CXX and CC switches to prevent that if you want.

Best regards,

Honza

Subject: Re: How to compile svn-package with NoGTK?

Posted by [Klugier](#) on Mon, 06 Jan 2014 20:05:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello dolik.rce,

For me X11 flag works as expected. It means that GTK is still used as theme base. Rendering is performed using X11. Personally, I use this flag, because GTK backend is still unstable in some cases.

NOGTK totally removed GTK. The main theme will be "Standard Theme" (No GTK chameleon).

So I don't think that I was wrong.

Sincerely,
Klugier
