

---

Subject: Curious code in GtkEvent.cpp  
Posted by [Oblivion](#) on Sun, 16 Feb 2014 23:19:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

While I was investigating a problem with trayicon example in gtk backend (not working, more specifically, blocking the UI, if trayicon is put into its own event loop as in the reference example, by the way), I saw the below code block.

```
case GDK_FOCUS_CHANGE:  
if(p) {  
    if(((GdkEventFocus *)event)->in)  
        gtk_im_context_focus_in(p->top->im_context); // <----- line 126  
    else  
        gtk_im_context_focus_in(p->top->im_context); // <----- Same as line 126  
    AddEvent(user_data, EVENT_NONE, value);  
}  
return false;
```

I am not very familiar with GTK event handling system; Is this normal?

Regards.

---

---

Subject: Re: Curious code in GtkEvent.cpp  
Posted by [Klugier](#) on Mon, 17 Feb 2014 00:00:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Oblivion,

I think that in line 128 there should be:

```
gtk_im_context_focus_out(p->top->im_context);
```

But it still doesn't resolve gtk backend focus problems on KDE. Moreover, I decided to enclose exemplary image:

Sincerely,  
Klugier

## File Attachments

---

1) [GTKFocusProblem.png](#), downloaded 648 times

---

---

Subject: Re: Curious code in GtkEvent.cpp

Posted by [mirek](#) on Fri, 21 Feb 2014 10:23:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

This definitely looks like a typo, fixed...

---