Subject: How do I get parameters for GetTextSize Posted by awksed on Sat, 21 Jun 2014 14:32:40 GMT

View Forum Message <> Reply to Message

I need to resize a DropList according to the longest string in the list.

How do I get the parameters for GetTextSize() (presumably something like Draw object and font)?

Thanks.

Subject: Re: How do I get parameters for GetTextSize Posted by BioBytes on Tue, 24 Jun 2014 19:44:18 GMT

View Forum Message <> Reply to Message

Hi awksed,

You could get your text width using GetTextSize(const FontInfo& ft,WString& str) and adapt the DropList width using DropList::SetMinSize(Size sz).

Hope this could be helpful

Cheers:)

Biobytes

Subject: Re: How do I get parameters for GetTextSize Posted by awksed on Sun, 29 Jun 2014 12:09:49 GMT View Forum Message <> Reply to Message

Hi BioBytes,

Thank you for your reply.

Sorry if my question was a little fuzzy.

What I really wanted to know is how do I obtain the actual font used in the DropList in question. (I assume this can be set to a different font from the standard font).

My code for the present is:

```
void MyDialog::MyFunction()
{
  Font font = GetStdFont();
}
```

Presumably as this is called from the dialog it will not return the font used in the DropList if this has been changed. (DropList::GetStdFont() does not exist).

Regards,

awksed

Subject: Re: How do I get parameters for GetTextSize Posted by BioBytes on Mon, 30 Jun 2014 20:02:00 GMT

View Forum Message <> Reply to Message

Hi Awksed,

Ok that is somewhat clearer now. Perhaps you could try the code below:

```
#include <CtrlLib/CtrlLib.h>
using namespace Upp;
GUI APP MAIN
DropList dl;
TopWindow win;
win.SetRect(0, 0, 400, 50);
win.Add(dl.HSizePos(4, 4).TopPos(10, Ctrl::STDSIZE));
dl.Add(0, AttrText("This is bold")SetFont(Courier(25)).Bold());
dl.Add(1, AttrText("This is red").SetFont(Arial(25)).Ink(Red())):
dl.Add(2, AttrText("This is centered").SetFont(Tahoma(25)).Center());
dl.SetLineCy(30);
dl <<= 0;
win.Run();
}
Hope this could help you :nod:
Good coding
```

Subject: Re: How do I get parameters for GetTextSize Posted by awksed on Tue, 01 Jul 2014 15:19:39 GMT

View Forum Message <> Reply to Message

Biobytes

Hi Biobytes,
Thank you. That is most informative.
Having set the font for the DropList item, how would I retrieve it.
Regards,
awksed
Subject: Re: How do I get parameters for GetTextSize Posted by BioBytes on Thu, 03 Jul 2014 19:45:42 GMT View Forum Message <> Reply to Message
Hi Awksed,
Sorry for late reply due to be busy IRL.
Perhaps you could have a look below:
http://www.ultimatepp.org/forums/index.php?t=msg&goto=42079&&srch=font#msg_42079
Hope it helps :d
Cheers
Biobytes
Subject: Re: How do I get parameters for GetTextSize Posted by awksed on Fri, 04 Jul 2014 16:38:06 GMT View Forum Message <> Reply to Message
Hi Biobytes,
Sorry. I must be rather dense but I cannot see where in the link you provide there is a clue as to how answer the following question:-
Given:
DropList dl;
dl.Add(0, AttrText("This is bold")SetFont(Courier(25)).Bold());
Font font = ???

// Please replace the ??? with the appropriate code to obtain the Font object that is set in dl[0] above (which would be the appropriate Font object to pass to GetTextSize(, font) for dl[0]).
Regards,
awksed
Subject: Re: How do I get parameters for GetTextSize Posted by BioBytes on Sun, 06 Jul 2014 08:49:14 GMT View Forum Message <> Reply to Message
Hi Awksed,
Sorry not having fully understood your second question :?
I am not sure that getting the font of a line in the droplist could be done easily. AttrText does not have any corresponding function. You save the font name used in each line of the droplist in a Vector object.
Regards
Biobytes
Subject: Re: How do I get parameters for GetTextSize Posted by awksed on Sat, 12 Jul 2014 16:11:00 GMT View Forum Message <> Reply to Message
Hi Biobytes,
I guess that makes sense.
Thanks for your help.
awksed
Page 4 of 4 Generated from U++ Forum