
Subject: [SOLVED]Use multiple HttpRequest instance (>32) to upload files will stuck
Posted by [kasome](#) on Tue, 29 Jul 2014 03:21:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I found that when using multiple thread (>32) and each thread has one HttpRequest instance to upload files will lead to stuck in its member function HttpRequest::Dns,

the reason is as follows:

In upp\uppsrc\Core\Inet.h

```
class IpAddrInfo {
enum { COUNT = 32 };
struct Entry {
    const char *host;
    const char *port;
    int    family;
    int    status;
    addrinfo *addr;
};
static Entry    pool[COUNT];
```

```
.....
};
```

The size of variable IpAddrInfo::Entry::pool is COUNT (= 32),
and when each HttpRequest instance upload one file,
it will call IpAddrInfo::Start to retrieve one entry from the IpAddrInfo::Entry::pool,
but it did not release the entry back to IpAddrInfo::Entry::pool when the uploading file operation
was done or fail,
then another HttpRequest instance will stuck in its member function HttpRequest::Dns,
trying to retrieve one available entry from the IpAddrInfo::Entry::pool,

```
void HttpRequest::Dns()
{
    for(int i = 0; i <= Nvl(GetTimeout(), INT_MAX); i++) {
        if(!addrinfo.InProgress()) {
            StartConnect();
            return;
        }
        Sleep(1);
    }
}
```

So, I made some modification, and the whole file is uploaded as attachment, hope that helps.

```

Modify from upp r7550
bool HttpRequest::Do()
{
    int c1, c2;
    switch(phase) {
    case BEGIN:
        retry_count = 0;
        redirect_count = 0;
        start_time = msec();
        GlobalTimeout(timeout);
    case START:
        Start();
        break;
    case DNS:
        Dns();
        break;
    case SSLPROXYREQUEST:
        if(SendingData())
            break;
        StartPhase(SSLPROXYRESPONSE);
        break;
    case SSLPROXYRESPONSE:
        if(ReadingHeader())
            break;
        ProcessSSLProxyResponse();
        break;
    case SSLHANDSHAKE:
        if(SSLHandshake())
            break;
        StartRequest();
        break;
    case REQUEST:
        if(SendingData())
            break;
        StartPhase(HEADER);
        break;
    case HEADER:
        if(ReadingHeader())
            break;
        StartBody();
        break;
    case BODY:
        if(ReadingBody())
            break;
        Finish();
        break;
    case CHUNK_HEADER:
        ReadingChunkHeader();

```

```

break;
case CHUNK_BODY:
    if(ReadingBody())
        break;
    c1 = TcpSocket::Get();
    c2 = TcpSocket::Get();
    if(c1 != '\r' || c2 != '\n')
        HttpError("missing ending CRLF in chunked transfer");
    StartPhase(CHUNK_HEADER);
    break;
case TRAILER:
    if(ReadingHeader())
        break;
    header.ParseAdd(data);
    Finish();
    break;
case FINISHED:
case FAILED:
    WhenDo();
    return false;
default:
    NEVER();
}

```

```

if(phase != FAILED) {
    if(IsSocketError() || IsError())
        phase = FAILED;
    else
        if(msecs(start_time) >= timeout) {
            HttpError("connection timed out");
            phase = FAILED;
        }
    else
        if(IsAbort()) {
            HttpError("connection was aborted");
            phase = FAILED;
        }
}

```

```

if(phase == FAILED) {
    if(retry_count++ < max_retries) {
        LLOGS("HTTP retry on error " << GetErrorDesc());
        start_time = msecs();
        GlobalTimeout(timeout);
        StartPhase(START);
    }
}
WhenDo();

```

```

    return phase != FINISHED && phase != FAILED;
}

to
bool HttpRequest::Do()
{
    int c1, c2;
    switch(phase) {
    case BEGIN:
        retry_count = 0;
        redirect_count = 0;
        start_time = msec();
        GlobalTimeout(timeout);
    case START:
        Start();
        break;
    case DNS:
        Dns();
        break;
    case SSLPROXYREQUEST:
        if(SendingData())
            break;
        StartPhase(SSLPROXYRESPONSE);
        break;
    case SSLPROXYRESPONSE:
        if(ReadingHeader())
            break;
        ProcessSSLProxyResponse();
        break;
    case SSLHANDSHAKE:
        if(SSLHandshake())
            break;
        StartRequest();
        break;
    case REQUEST:
        if(SendingData())
            break;
        StartPhase(HEADER);
        break;
    case HEADER:
        if(ReadingHeader())
            break;
        StartBody();
        break;
    case BODY:
        if(ReadingBody())
            break;
        Finish();
    }
}

```

```

    break;
case CHUNK_HEADER:
    ReadingChunkHeader();
    break;
case CHUNK_BODY:
    if(ReadingBody())
        break;
    c1 = TcpSocket::Get();
    c2 = TcpSocket::Get();
    if(c1 != '\r' || c2 != '\n')
        HttpError("missing ending CRLF in chunked transfer");
    StartPhase(CHUNK_HEADER);
    break;
case TRAILER:
    if(ReadingHeader())
        break;
    header.ParseAdd(data);
    Finish();
    break;
case FINISHED:
case FAILED:
    WhenDo();
    return false;
default:
    NEVER();
}

```

```

if(phase != FAILED) {
    if(IsSocketError() || IsError())
        phase = FAILED;
    else
        if(msecs(start_time) >= timeout) {
            HttpError("connection timed out");
            phase = FAILED;
        }
    else
        if(IsAbort()) {
            HttpError("connection was aborted");
            phase = FAILED;
        }
}

```

```

if(phase == FAILED) {
    if(retry_count++ < max_retries) {
        LLOGS("HTTP retry on error " << GetErrorDesc());
        start_time = msecs();
        GlobalTimeout(timeout);
        StartPhase(START);
    }
}

```

```
}  
}  
if( phase == FINISHED || phase == FAILED ) {  
    addinfo.Clear();  
}  
WhenDo();  
return phase != FINISHED && phase != FAILED;  
}
```

File Attachments

1) [Http.cpp](#), downloaded 277 times

Subject: Re: Use multiple HttpRequest instance (>32) to upload files will stuck
Posted by [mirek](#) on Wed, 06 Aug 2014 17:48:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Perhaps it would rather be possible to release the slot by ::Clear call after connection is established in HttpRequest::StartConnect() ?

Subject: Re: Use multiple HttpRequest instance (>32) to upload files will stuck
Posted by [kasome](#) on Thu, 07 Aug 2014 12:02:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

That's better way, thanks. :d

Subject: Re: Use multiple HttpRequest instance (>32) to upload files will stuck
Posted by [mirek](#) on Sat, 09 Aug 2014 08:00:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

kasome wrote on Thu, 07 August 2014 14:02That's better way, thanks. :d

Change committed into trunk, can you please provide the final confirmation?

Mirek

Subject: Re: Use multiple HttpRequest instance (>32) to upload files will stuck
Posted by [kasome](#) on Sat, 09 Aug 2014 17:22:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek,

I try to upload 500 files by using 64 threads, and each thread has one Upp::HttpRequest instance, each file has size range from 1 MB to 150MB,

I have to say that it work perfectly. :lol:

PS:

Here is the 2 web storage i try to upload files and succeed. (by using Upp::HttpRequest)

Amazon S3

<https://aws.amazon.com/s3/>

ASUS WebStorage

<https://www.asuswebstorage.com/navigate/>