
Subject: gui in dll does not compile

Posted by [aftershock](#) on Mon, 01 Sep 2014 11:09:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have a simple dll... I thought I would put the gui there

```
#include <CtrlLib/CtrlLib.h>
#include <windows.h>
#include "ultimatewindll.h"
```

```
using namespace Upp;
```

```
BOOL APIENTRY DllMain(HANDLE hModule, DWORD reason, LPVOID lpReserved)
{
    switch (reason) {
        case DLL_PROCESS_ATTACH:
            break;
        case DLL_PROCESS_DETACH:
            break;
        case DLL_THREAD_ATTACH:
            break;
        case DLL_THREAD_DETACH:
            break;
    }
    return TRUE;
}
```

```
DllExport void PromptOK2(char * Str)
{
    PromptOK("Hello world");
}
```

When I compile

```
----- ultimatewindll ( DLL SSE2 GUI MAIN MSC9 WIN32 MSC ) (8 /
```

```
cd d:\m\upp\ultimatewindll
```

```
Linking...
```

```
link -nologo -machine:I386 -pdb:"
```

```
d:\upp4_6_2014\out\MyApps\MSC9.Dll.Gui.Sse2\ultimatewindll.p db "
```

```
-out:"d:\upp4_6_2014\out\MyApps\MSC9.Dll.Gui.Sse2\ultimatewi
```

```
ndll.dll" -incremental:no -release -OPT:REF,ICF -subsystem:windows -DLL
```

```
-LIBPATH:"C:\Program Files (x86)\Microsoft Visual Studio 9.0\Vc\Lib" -LIBPATH:"C:\Pro
```

```
gram Files\Microsoft SDKs\Windows\v7.0\Lib"
"d:\upp4_6_2014\out\MyApps\ultimatewindll\MSC9.Dll.Gui.Main.Sse2\ultimatewindll.obj"
"d:\upp4_6_2014\out\MyApps\CtrlCore\MSC9.Dll.Gui.Sse2\CtrlCore.obj" "C:\Program Files\Microsoft
SDKs\Windows\v7.0\Lib\advapi32.lib" "C:\Program Files\Microsoft SDKs\Windows\v7
.0\Lib\comdlg32.lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\comctl32.lib"
"C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\user32.lib" "C:\Program
Files\Microsoft SDKs\Windows\v7.0\Lib\gdi32.lib"
"d:\upp4_6_2014\out\MyApps\CtrlCore\MSC9.Dll.Gui.Sse2\CtrlCore.lib" "C:\Program
Files\Microsoft SDKs\Windows\v7.0\Lib\user32.lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\gdi32.lib"
"d:\upp4_6_2014\out\MyApps\Draw\MSC9.Dll.Gui.Sse2\Draw.lib" "d:\upp4_6_2
014\out\MyApps\plugin\bmp\MSC9.Dll.Gui.Sse2\BmpReg.obj"
"d:\upp4_6_2014\out\MyApps\plugin\bmp\MSC9.Dll.Gui.Sse2\bmp.lib"
"d:\upp4_6_2014\out\MyApps\RichText\
MSC9.Dll.Gui.Sse2\RichImage.obj"
"d:\upp4_6_2014\out\MyApps\RichText\MSC9.Dll.Gui.Sse2\RichText.lib" "C:\Program
Files\Microsoft SDKs\Windows\v7.0\Lib\kernel
32.lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\user32.lib" "C:\Program
Files\Microsoft SDKs\Windows\v7.0\Lib\ws2_32.lib" "C:\Program Files\Microso
ft SDKs\Windows\v7.0\Lib\advapi32.lib" "C:\Program Files\Microsoft
SDKs\Windows\v7.0\Lib\shell32.lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\winmm
.lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\mpr.lib"
"d:\upp4_6_2014\out\MyApps\Core\MSC9.Dll.Gui.Sse2\Core.lib"
"d:\upp4_6_2014\out\MyApps\plugi
n\z\MSC9.Dll.Gui.Sse2\z.lib" "d:\upp4_6_2014\out\MyApps\plugin\png\MSC9.Dll.Gui.Sse2\pngre
g.obj" "d:\upp4_6_2014\out\MyApps\plugin\png\MSC9.Dll.Gui.Sse2\png.
lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\kernel32.lib" "C:\Program Files\Microsoft
SDKs\Windows\v7.0\Lib\user32.lib" "C:\Program Files\Microso
ft SDKs\Windows\v7.0\Lib\advapi32.lib" "C:\Program Files\Microsoft
SDKs\Windows\v7.0\Lib\shell32.lib" "C:\Program Files\Microsoft SDKs\Windows\v7.0\Lib\winmm.
lib"
```

```
Creating library d:\upp4_6_2014\out\MyApps\MSC9.Dll.Gui.Sse2\ultimatewindll.lib and object
d:\upp4_6_2014\out\MyApps\MSC9.Dll.Gui.Sse2\ultimatewindll.exp
ultimatewindll.obj : error LNK2019: unresolved external symbol "void __cdecl
Upp::PromptOK(char const *)" (?PromptOK@Upp@@@YAXPBD@Z) referenced in function _P
romptOK2
d:\upp4_6_2014\out\MyApps\MSC9.Dll.Gui.Sse2\ultimatewindll.dll : fatal error LNK1120: 1
unresolved externals
```

I get unresolved external..
I guess it could be a bug....
Or can you tell me how to resolve this?

A.

Subject: Re: gui in dll does not compile

Posted by [andreincx](#) on Mon, 01 Sep 2014 12:44:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi aftershock,

Could you please post also the content of 'ultimatewindll.h'?

```
#ifndef _UppDll_UppDll_h
#define _UppDll_UppDll_h

#define DllImport extern "C" __declspec(dllimport)
#define DllExport extern "C" __declspec(dllexport)

#ifdef flagDLL
#define DLLIMPORT __declspec(dllexport)
#else
#define DLLIMPORT __declspec(dllimport)
#endif

DLLIMPORT void PromptOK2(char* str);

#endif

#include <CtrlLib/CtrlLib.h>

#include <windows.h>
#include "UppDll.h"

using namespace Upp;

BOOL APIENTRY DllMain(HANDLE hModule, DWORD reason, LPVOID lpReserved)
{
    switch (reason) {
    case DLL_PROCESS_ATTACH:
        Ctrl::InitWin32(AppGetHandle());
        AppInitEnvironment__();
        break;
    case DLL_PROCESS_DETACH:
        Ctrl::ExitWin32();
        break;
    case DLL_THREAD_ATTACH:
        break;
    case DLL_THREAD_DETACH:
        break;
    }
    return TRUE;
}
```

```
DLLIMPORT void PromptOK2(char* str)
{
    PromptOK(str);
}
```

This should work. See `Ctrl::InitWin32(AppGetHandle());` and `AppInitEnvironment__()`; in `DLL_PROCESS_ATTACH` and `Ctrl::ExitWin32()` in `DLL_PROCESS_DETACH`. If you don't have to put anything else in `DllMain` you may use `DLL_APP_MAIN` to hide U++ initialization and cleanup.

When you use it don't forget to add path to directory where *.lib file of dll is.

Regards,
Andrei

Subject: Re: gui in dll does not compile
Posted by [aftershock](#) on Mon, 01 Sep 2014 13:39:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
#ifndef _ultimatewindll_ultimatewindll_h
#define _ultimatewindll_ultimatewindll_h

#define DllImport extern "C" __declspec(dllimport)
#define DllExport extern "C" __declspec(dllexport)

#ifdef flagDLL
    #define DLLIMPORT __declspec(dllexport)
#else
    #define DLLIMPORT __declspec(dllimport)
#endif

#endif
```

Subject: Re: gui in dll does not compile
Posted by [aftershock](#) on Mon, 01 Sep 2014 13:42:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
#include <CtrlLib/CtrlLib.h>

#include <windows.h>
#include "UppDll.h"
```

```
using namespace Upp;
```

```
BOOL APIENTRY DIIMain(HANDLE hModule, DWORD reason, LPVOID lpReserved)
{
    switch (reason) {
    case DLL_PROCESS_ATTACH:
        Ctrl::InitWin32(AppGetHandle());
        AppInitEnvironment__();
        break;
    case DLL_PROCESS_DETACH:
        Ctrl::ExitWin32();
        break;
    case DLL_THREAD_ATTACH:
        break;
    case DLL_THREAD_DETACH:
        break;
    }
    return TRUE;
}
```

```
DLLIMPORT void PromptOK2(char* str)
{
    PromptOK(str);
}
```

This should work. See `Ctrl::InitWin32(AppGetHandle());` and `AppInitEnvironment__();` in `DLL_PROCESS_ATTACH` and `Ctrl::ExitWin32()` in `DLL_PROCESS_DETACH`. If you don't have to put anything else in `DIIMain` you may use `DLL_APP_MAIN` to hide U++ initialization and cleanup.

When you use it don't forget to add path to directory where *.lib file of dll is.

Regards,
Andrei[/quote]

You seem to find other problems with the code.. That is good, thanks
However, one problem seems to be
unresolved external symbol "void __cdecl Upp::PromptOK(char const *)" (`?PromptOK@Upp@@YAXPBD@Z`) referenced in function `_PromptOK2`
meaning some libraries and I mean part of standard upp library is not added to the linker as far I can see it.
That is why I thought it could be a bug or i did not use a compilation flag...
What do you think why?

Subject: Re: gui in dll does not compile
Posted by [aftershock](#) on Mon, 01 Sep 2014 17:16:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

CtrlLib package was missing.
