
Subject: [solved] Bug in CParser
Posted by [cbpporter](#) on Thu, 11 Sep 2014 12:59:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

CParser::SkipSpaces is bugged. Correct implementation:

```
CParser& SkipSpaces(bool b = true)    { skipspace = b; return *this; }
```

Subject: Re: Bug in CParser
Posted by [cbpporter](#) on Thu, 11 Sep 2014 13:15:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Plus, there is no way to call Set after NoSkipSpaces because it will override the skip. I propose these changes:

.hpp

```
void Set(const char *ptr, const char *fn, int line = 1, bool skip = true);  
void Set(const char *ptr, bool skip = true);
```

.cpp

```
void CParser::Set(const char *_ptr, const char *_fn, int _line, bool skip)  
{  
    term = lineptr = wpc = _ptr;  
    fn = _fn;  
    line = _line;  
    skipspace = skip;  
    Spaces();  
    LLOG("Set " << fn << ":" << line);  
}
```

```
void CParser::Set(const char *_ptr, bool skip)  
{  
    Set(_ptr, "", 1, skip);  
}
```

Subject: Re: Bug in CParser
Posted by [mirek](#) on Thu, 11 Sep 2014 15:41:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks, fixed.

Set: I actually believe that the setting of skip should be removed and Spaces be called only if it is true.

Subject: Re: Bug in CParser
Posted by [cbpporter](#) on Fri, 12 Sep 2014 06:52:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you!

Set: that would work as well. As long as I can use CParser in "noskip" Mode. The output of my parser is HTML that contains syntax highlighting with CSS styles and whitespaces need to be processed.

Subject: Re: Bug in CParser
Posted by [mirek](#) on Sat, 13 Sep 2014 17:15:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Applied. Thanks.

Mirek
