Subject: Writable references to ValueArray/ValueMap/Value elements Posted by mirek on Sat, 13 Sep 2014 14:31:10 GMT View Forum Message <> Reply to Message

Lately I have found myself doing a lot of work on hierarchical Values (usually representing some JSON). Here, the strict non-mutable value-only features of Value make things a little bit complicated. Thus, after a long period of hesitation, I have introduced possibility to get a reference to "internal" Value contained in ValueArray/ValueMap/Value. It is now possible to write

```
Value v;
for(int i = 0; i < 3; i++) {
Value& p = v.At(i)("person");
p("name") = "Name" + AsString(i + 1);
p("lastname") = "LastName" + AsString(i + 1);
}
LOG(AsJSON(v));
```

and result is

[{"person":{"name":"Name1","lastname":"LastName1"}},{"person":{"name":"Name2","lastname":"La stName2"}},{"person":{"name":"Name3","lastname":"LastName3"}}]

However, there is a strict rule limiting the validity of such reference (caused by general nature of Value):

They are only valid until the next operation on originating Value - including just reading it!

Examples of faulty code:

Value m; Value& x = m("key"); x = m; // using m as source invalidates x

Value m; Value& x = m("key"); Value& y = m("key2"); // Invalidates x x = 123; // undefined

Value m;

Value& x = m.At(1); Value m2 = m; // Invalidates x x = "fail"; // undefined

Mirek

Page 2 of 2 ---- Generated from U++ Forum