

---

Subject: Why does this code hang?

Posted by [slashupp](#) on Sun, 25 Oct 2015 11:59:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

(debian 64-bit)

Based on reply by unodgs: [http://www.ultimatepp.org/forums/index.php?t=msg&th=6809&go\\_to=36746&msg\\_36746](http://www.ultimatepp.org/forums/index.php?t=msg&th=6809&go_to=36746&msg_36746)

The following code hangs when a tab is clicked:

```
#include <CtrlLib/CtrlLib.h>
#include <TabBar/TabBar.h> //must add package TabBar

using namespace Upp;

struct test_tabbar : public TopWindow
{
    typedef test_tabbar CLASSNAME;
    TabBar TB;
    test_tabbar();
    void ontab();

};

test_tabbar::test_tabbar()
{
    Title("test_tabbar");
    Add(TB);
    TB.HSizePosZ(0, 0).VSizePosZ(0, 0);
    TB.AddKey("one", "tab one");
    TB.AddKey("two", "tab two");
    TB.AddKey("three", "tab three");
    TB.WhenAction = THISBACK(ontab);
}

void test_tabbar::ontab()
{
    PromptOK(TB.GetKey(TB.GetHighlight()).ToString());
}

GUI_APP_MAIN
{
    test_tabbar().Run();
}
```

---

---

**Subject:** Re: Why does this code hang?  
**Posted by** [deep](#) **on** Mon, 26 Oct 2015 05:28:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Slashupp,

TB.GetHighlight() will return int.

TB.GetKey() will fail to return any value because it will expect one of the Keys you have added as input argument.

TB.GetKey(TB.GetHighlight()) -- This is giving you error.

All the keys added are Strings.

---

---

**Subject:** Re: Why does this code hang?  
**Posted by** [slashupp](#) **on** Mon, 26 Oct 2015 07:23:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

No, that code is correct - it works as expected, after/when the prompt is shown, the app hangs

---

---

**Subject:** Re: Why does this code hang?  
**Posted by** [omari](#) **on** Mon, 26 Oct 2015 17:58:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

try this:

```
void test_tabbar::ontab()
{
if(TB.FindKey(TB.GetHighlight()) >= 0)
{
    PromptOK(TB.Get(TB.GetKey(TB.GetHighlight())).ToString());
}
else
{
    PromptOK("key Not found");
}

PromptOK(TB.Get(TB.GetKey(TB.GetCursor())).ToString());
}
```

---

---

Subject: Re: Why does this code hang?

Posted by [slashupp](#) on Tue, 27 Oct 2015 06:21:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

GetHighlight() returns index into tabs stack and will not work in this case (with FindKey())

the keys i use are strings

i know they are valid when any tab is selected

the code i wrote works until the prompt is displayed and then it hangs the tty and i have to use another tty to kill the app

---

---

---

---

Subject: Re: Why does this code hang?

Posted by [omari](#) on Wed, 28 Oct 2015 10:29:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

:blush:

your code works as expected on Win 7, without hangs.

i will test with debian at home.

---

---