

---

Subject: How to block background redrawing in my own widget

Posted by [Zbych](#) on Sun, 16 Oct 2016 20:37:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Is there any way to disable background redrawing by Ctrl class in my own widget?

I tried to call BackPaint(NOBACKPAINT) in my widget constructor, but to no avail.

Resizing chromium browser example from bazaar looks like this:

Source code: <https://github.com/ultimatepp/mirror/tree/master/bazaar/ChromiumBrowser>

How does DHCtrl class avoid flickering?

---

#### File Attachments

1) [resize-flickering.gif](#), downloaded 635 times

---

---

Subject: Re: How to block background redrawing in my own widget

Posted by [mirek](#) on Fri, 28 Oct 2016 06:35:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

NOBACKPAINT actually means something else: Do not use back buffer to avoid flickering.

It is completely completely ignored with DHCtrl.

Now for your issue: This will be more related to improper implementation of Chromium. Recently, I needed browser in one of my apps, I have started with Bazaar IE package, but found somewhat similar issues (flickering). I was able to fix them by fixing the package. I guess something like that is needed for Chromium Browser package....

Mirek

---

---

Subject: Re: How to block background redrawing in my own widget

Posted by [Zbych](#) on Fri, 28 Oct 2016 12:01:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for explanation.

Right now I override State(int reason) function from Ctrl and when size or position is changed I call Layout function to set everything:

<https://github.com/ultimatepp/mirror/blob/master/bazaar/ChromiumBrowser/ChromiumBrowser.cpp>

Windows code responsible for chrome position and size looks like this (flickering visible):

```
CefWindowHandle hwnd = handler->GetBrowser()->GetHost()->GetWindowHandle();
HDWP hdwp = BeginDeferWindowPos(1);
hdwp = DeferWindowPos(hdwp, hwnd, nullptr, r.left, r.top, r.Width(), r.Height(),
SWP_NOZORDER);
EndDeferWindowPos(hdwp);
```

Or second version (flickering visible):

```
SetWindowPos(hwnd, NULL, r.left, r.top, r.GetWidth(), r.GetHeight(), SWP_NOZORDER);
```

In third version I disabled it completely, so chrome doesn't change its size when I resize application window, but flickering is still visible.

The funny thing is, that with X11 backend flickering is not visible.

---