

---

Subject: Error C2280 with MSC15 and Uniq  
Posted by [awksed](#) on Wed, 16 Nov 2016 02:39:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm getting error C2280 (attempting to reference a deleted function) with MSC15 (pick() usually fixes most of these)  
but there is a line in Uniq that is causing problems: PostCallback(callback1(WhenInstance, v));.

MSC15x64 compiler -Od switch

(no problem with MSC10x64)

Snippets:

```
class Uniq
{
    // callback called when another app instance is run
    //
    Callback1<Vector<String> const &> WhenInstance;
}
```

```
bool Uniq::SendCmdLine(void)
{
    // ok, we're (finally...) connected to client
    // just get command line from him
```

```
    Vector<String> v;
```

```
    int count = ScanInt(ReadFileString(pipe));
```

```
    for(int i = 0; i < count; i++)
        v.Add(ReadFileString(pipe));
```

```
    // This causes the following error:
```

```
    // C:\upp\bazaar\Uniq\Windows.cpp(109): error C2280: 'Upp::Vector<Upp::String>::Vector(const Upp::Vector<Upp::String> &)': attempting to reference a deleted function
```

```
    //
    PostCallback(callback1(WhenInstance, v));
```

Is there a compiler switch to stop generated functions from being deleted or what changes need to be made the the code?

Thanks,

Jan

---

---

Subject: Re: Error C2280 with MSC15 and Uniq  
Posted by [omari](#) on Wed, 16 Nov 2016 13:10:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

a possible solution is to use lambda instead of callback1 :

```
PostCallback([&]() { WhenInstance(v); });
```

---

---

Subject: Re: Error C2280 with MSC15 and Uniq  
Posted by [awksed](#) on Wed, 16 Nov 2016 14:50:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi omari,

Thank you for your reply.

Unfortunately `PostCallback([&]() { WhenInstance(v); });` results in:

```
error C2664: 'void Upp::PostCallback(Upp::Callback,void *)': cannot convert argument 1 from  
'Upp::Uniq::SendCmdLine::<lambda_dc6ff328973047984323327a9646bad3 >' to 'Upp::Callback'  
note: No user-defined-conversion operator available that can perform this conversion, or the  
operator cannot be called
```

Any ideas how to fix error C2664 (some cast perhaps)?

Thanks,

Jan

---

---

Subject: Re: Error C2280 with MSC15 and Uniq  
Posted by [mirek](#) on Wed, 16 Nov 2016 22:25:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

awksed wrote on Wed, 16 November 2016 03:39 I'm getting error C2280 (attempting to reference a deleted function) with MSC15 (pick() usually fixes most of these)  
but there is a line in Uniq that is causing problems: `PostCallback(callback1(WhenInstance, v));`.

MSC15x64 compiler -Od switch

(no problem with MSC10x64)

Snippets:

```

class Uniq
{
    // callback called when another app instance is run
    //
    Callback1<Vector<String> const &> WhenInstance;
}

```

```
PostCallback(callback1(WhenInstance, v));
```

Trouble is using callback1 here... You are trying to 'deep copy' v (because it needs to become the part of callback value), but v does not have copy... (it is 'deleted').

To pass v into callback1, you need to use 'clone' or 'pick'. Which is a bit of trouble without C++14, but in C++14 you can use lambda with explicit copy specification like:

```

CONSOLE_APP_MAIN
{
    Event<const Vector<int>&> h = [] (const Vector<int>& x) { DUMP(x); };

    Event<> ev;

    {
        Vector<int> x = { 1, 2 };
        ev = [=, x = pick(x)] { h(x); };
    }

    ev();
}

```

(this is in current trunk, upcoming 2016 release, but should work with Callback instead of Event too).

Alternatively, using

```
WithDeepCopy< Vector<String> > v;
```

would work too, with possible performance hit (if v is to be big)

---



---

Subject: Re: Error C2280 with MSC15 and Uniq  
Posted by [awksed](#) on Thu, 17 Nov 2016 10:44:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi mirek,

WithDeepCopy< Vector<String> > v; allows bazaar/Uniq/Windows.cpp to compile.

Many thanks,

Jan

---