
Subject: umk on U++ server is obsolete and creates bad Makefiles

Posted by [amrein](#) on Fri, 06 Jan 2017 21:31:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

The current 'umk' binary on the server is not patched and it creates not thread safe Makefiles. Those Makefiles end up in all new snapshots and prevent building U++ with threads.

-> The command line tool 'umk' needs to be replaced by the new version in trunk head.

What I mean is that 'make -j8 -C uppsrc' will stop with errors because 'make prepare' is not called soon enough. This has been fixed in svn. Unfortunately, this new version is not installed on the server yet.

I don't know who is responsible of the U++ server so I post here.

And does anyone knows how to access those two files 'umk.1' and 'theide.1' on the server? I want to include those two files inside future snapshots (editing 'src' bash script for that) for more standard POSIX/X11 tarballs.

Subject: Re: umk on U++ server is obsolete and creates bad Makefiles

Posted by [mirek](#) on Sun, 08 Jan 2017 10:55:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Updated. Now running nightly job to build tarballs.

Subject: Re: umk on U++ server is obsolete and creates bad Makefiles

Posted by [amrein](#) on Sun, 08 Jan 2017 12:04:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, and thank.

Before committing upp-devel.spec, I would like to know where I can find those two following files on the server.

From svn:

Quote:

trunk/uppbox/lpbuild2/umk.1

trunk/uppbox/lpbuild2/theide.1

I want to include them in future snapshots. For that I need to modify 'trunk/uppbox/Scripts/src', adding two lines:

```
cp -p wherever/uppbox/lpbuild2/umk.1 ~/upp.tmp/upp/
```

```
cp -p wherever/uppbox/lpbuild2/theide.1 ~/upp.tmp/upp/
```

but I don't know where they are.

From the win script I deducted that they are here: ~/upp.src/uppbox/lpbuild2/ but I would like to get a confirmation before modifying (and not breaking ;) the src script.

Subject: Re: umk on U++ server is obsolete and creates bad Makefiles
Posted by [amrein](#) on Sun, 08 Jan 2017 12:13:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Also, there is no full U++ license file in the snapshot tarballs. Just uppsrc/ide/Copying.

Shouldn't we create a full Copying file with all info from
[http://www.ultimatepp.org/app\\$ide\\$About\\$en-us.html](http://www.ultimatepp.org/appideAbout$en-us.html)?

Sorry to bother you with all my questions. :/

Subject: Re: umk on U++ server is obsolete and creates bad Makefiles
Posted by [dolik.rce](#) on Sun, 08 Jan 2017 12:25:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

amrein wrote on Sun, 08 January 2017 13:04

Quote:

```
trunk/uppbox/lpbuild2/umk.1
trunk/uppbox/lpbuild2/theide.1
```

I want to include them in future snapshots.

I created those man pages for the same reason you need them now - to be placed in packages :) I think it would make sense if they were at the package where they belong. Mirek, what about moving those two files into uppsrc/umk and uppsrc/theide, respectively? It would simplify packaging for all unix platforms.

Best regards,
Honza

Subject: Re: umk on U++ server is obsolete and creates bad Makefiles
Posted by [mirek](#) on Mon, 09 Jan 2017 09:28:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

dolik.rce wrote on Sun, 08 January 2017 13:25amrein wrote on Sun, 08 January 2017 13:04

Quote:

```
trunk/uppbox/lpbuild2/umk.1
```

trunk/uppbox/lpbuild2/theide.1

I want to include them in future snapshots.

I created those man pages for the same reason you need them now - to be placed in packages :) I think it would make sense if they were at the package where they belong. Mirek, what about moving those two files into uppsrc/umk and uppsrc/theide, respectively? It would simplify packaging for all unix platforms.

Best regards,
Honza

There copies in umk / ide now (did not dare to actually move them).

Mirek
