
Subject: ScrollBarSize() - Is it (possibly) a bug?
Posted by [Lance](#) on Mon, 26 Sep 2022 23:35:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

I was looking for some member function in ScrollBar to retrieve the scrollbar size, or expose the const Style *style which can in turn access the barsize value, but to no avail. Until I find this function

```
inline int ScrollBarSize()          { return ScrollBar::StyleDefault().barsize; }///
```

A search in the Upp src indicates many libraries make use of this function, including in HeaderCtrl

```
void HeaderCtrl::FrameLayout(Rect& r)
{
    LayoutFrameTop(r, this, invisible ? 0 : GetHeight());
    LayoutFrameBottom(r, &sb, sb.IsShown() ? ScrollBarSize() : 0);
}
```

```
void HeaderCtrl::FrameAddSize(Size& sz)
{
    if(!invisible)
        sz.cy += GetHeight();
    if(sb.IsVisible())
        sz.cy += ScrollBarSize();
}
```

Does this imply that a customized ScrollBar Style shall not disagree on barsize with the default ScrollBar Style? Is this restriction necessary? or shall we expose int ScrollBar::ScrollBarSize()const(elevate it to a public member function from a private one as it is now)?