

---

Subject: Translation Problems (German)

Posted by [Werner](#) on Sun, 25 Jun 2006 09:38:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I am adding the German language to a dede2.tr file (LANGUAGE "DE-DE windows-1252") which I will make available to the community (if somebody is interested in ).

The peculiarities of the German language lead to problems when parameterized strings are to be translated. For example,

enUS: "Do you really want to delete the selected %s ?"

needs 4 different translations depending on what "%s" means:

1) %s = "Bereich" (area)

2) %s = "Zeile" (row)

3) %s = "Objekt" (object)

4) %s = "Bereiche" (areas), "Zeilen" (rows), "Objekte" (objects)

Actually, the translation depends on the linguistic gender (masculine/feminine/neuter) and the number of what will be substituted for %s. "Bereich", "Zeile", etc. are just examples.

This brings up the following questions:

Is it possible to create universally usable context-dependent translations? (As far as I understand "t\_("XXX\vYYY)") needs to know beforehand what "XXX" means in the individual case.)

Is it ok to add only bilingual translations even though the other entries already contain more languages?

Werner

---

---

Subject: Re: Translation Problems (German)

Posted by [mirek](#) on Sun, 25 Jun 2006 10:57:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Werner wrote on Sun, 25 June 2006 05:38 I am adding the German language to a dede2.tr file (LANGUAGE "DE-DE windows-1252") which I will make available to the community (if somebody is interested in ).

The peculiarities of the German language lead to problems when parameterized strings are to be translated. For example,

enUS: "Do you really want to delete the selected %s ?"

needs 4 different translations depending on what "%s" means:

1) %s = "Bereich" (area)

2) %s = "Zeile" (row)

3) %s = "Objekt" (object)

4) %s = "Bereiche" (areas), "Zeilen" (rows), "Objekte" (objects)

Actually, the translation depends on the linguistic gender (masculine/feminine/neuter) and the number of what will be substituted for %s. "Bereich", "Zeile", etc. are just examples.

This brings up the following questions:

Is it possible to create universally usable context-dependent translations? (As far as I understand "t\_("XXX\vYYY")" needs to know beforehand what "XXX" means in the individual case.)

Is it ok to add only bilingual translations even though the other entries already contain more languages?

Werner

Interesting trouble... Some things are hard to anticipate before you get thrown them at you

I guess, from what I see, the simple solution seems to be:

enUS: "Do you really want to delete %s ?"

Of course, maybe the really universal would be:

enUS: "%s"

Mirek

---

---

Subject: Re: Translation Problems (German)  
Posted by [Werner](#) on Thu, 13 Jul 2006 16:34:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

In the meantime I studied the code fragments which bear the various expressions to be translated.  
I hope I found universally usable translations.

So I provide a dede2.tr file to anybody who might be interested.

But a warning word might be appropriate:

At least as far as "my" dede2.tr file is concerned it can only yield "raw" translations. In any case  
the translation has to be polished "by hand" if it is to be used in production code.

Werner

---

### File Attachments

1) [dede2.tr](#), downloaded 1990 times

---

---

Subject: Re: Translation Problems (German)  
Posted by [fallingdutch](#) on Sat, 15 Jul 2006 07:54:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Werner,

now I dont have to worry about these "german" problems

Bas

---

---

Subject: Re: Translation Problems (German)  
Posted by [mirek](#) on Wed, 19 Jul 2006 09:13:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Werner wrote on Thu, 13 July 2006 12:34In the meantime I studied the code fragments which  
bear the various expressions to be translated. I hope I found universally usable translations.

So I provide a dede2.tr file to anybody who might be interested.

But a warning word might be appropriate:

At least as far as "my" dede2.tr file is concerned it can only yield "raw" translations. In any case  
the translation has to be polished "by hand" if it is to be used in production code.

Werner

Now part of U++ (will be in next dev release).

Mirek

---

---

Subject: Re: Translation Problems (German)  
Posted by [Werner](#) on Wed, 19 Jul 2006 15:47:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Wed, 19 July 2006 11:13Werner wrote on Thu, 13 July 2006 12:34In the meantime I studied the code fragments which bear the various expressions to be translated. I hope I found universally usable translations.

So I provide a dede2.tr file to anybody who might be interested.

But a warning word might be appropriate:

At least as far as "my" dede2.tr file is concerned it can only yield "raw" translations. In any case the translation has to be polished "by hand" if it is to be used in production code.

Werner

Now part of U++ (will be in next dev release).

Mirek

I feel so embarrassed ...

I really hope that it will be useful to somebody.

Werner

---

---

Subject: Re: Translation Problems (German)  
Posted by [Werner](#) on Wed, 19 Jul 2006 15:56:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Sat, 15 July 2006 09:54Thanks Werner,

now I dont have to worry about these "german" problems

Bas

Sorry to respond only now, but only now I see that your posting might bear a request.

What "German problems" do you have? May I be helpful by translating something from/to German?

Werner

---

Subject: Re: Translation Problems (German)  
Posted by [fallingdutch](#) on Sun, 23 Jul 2006 09:21:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

no, Werner, it wasn't a request ... i just thought about translating but was too lazy

so i am thankfull you did it

---