
Subject: More new functions

Posted by [koldo](#) on Wed, 22 Oct 2008 21:25:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello all

I propose you some new functions tested in GNU/Linux Ubuntu (Gnome), XP and Vista.
Please give me your feedback and feel free to fix everything:

```
String GetExtExecutable(const char *ext);
```

```
// GetExtExecutable("pdf") will return the name of the program  
// that by default open pdf files.  
// In XP/Vista it will return the program with the full path
```

```
bool LaunchFile(const String& file);
```

```
// LaunchFile("Sheet.xls") will open the file with the  
// program assigned by default to open xls files
```

```
int LaunchCommand(const char *cmd, void (*readCallBack)(String &));
```

```
// LaunchCommand("mplayer myclip.avi", MyCallback) will launch  
// the command line program with args without opening a window, and  
// all the output will be sent to MyCallback(String &) function
```

```
int LaunchCommand(const char *cmd, String &ret);
```

```
// LaunchCommand("mplayer myclip.avi",str) will do the same  
// but sending the output to String str
```

```
String GetDesktopFolder();  
String GetProgramsFolder();  
String GetAppDataFolder();  
String GetMusicFolder();  
String GetPicturesFolder();  
String GetVideoFolder();  
String GetPersonalFolder();  
String GetTemplatesFolder();  
String GetDownloadFolder();
```

```
// These functions return the folder assigned for Desktop,  
// Program Files, etc.  
// (from now please do not do this:
```

```
// AppendFileName(GetHomeFolder(), "Desktop");  
// to refer to the Desktop folder or using  
// "C:\\Program Files" ...  
// in many languages is wrong  
// It does not handle firefox download folder as it has been  
// impossible for me to know where it is (until now)
```

```
bool FileCat(const char *file, const char *appendFile);
```

```
// FileCat("FirstFile", "SecondFile") just append SecondFile  
// from the end of FirstFile
```

As you may see some of them use in Linux Portland XdgUtils in the background.
I think it is a strong portable widespread source of information.

If somebody is interested I have a small class that works like
LaunchCommand but opening a command window that handles \r and
\n properly (to be used for example with mencoder).

Best regards
Koldo

File Attachments

1) [More funs.cpp](#), downloaded 838 times

Subject: Re: More new functions
Posted by [tojocky](#) on Thu, 23 Oct 2008 05:35:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Interesting functions!
Thanks!

Subject: Re: More new functions
Posted by [captainc](#) on Thu, 23 Oct 2008 23:22:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

These are great; really good functionality. Are they being added to core? or maybe we can add them as a utility package in bazar if not.

Subject: Re: More new functions
Posted by [koldo](#) on Fri, 24 Oct 2008 06:11:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you. About how to integrate them in Upp is a matter to be decided by the main developers.

Just to say that I have ready to post in few days a new version that supports firefox (if firefox is the by default web browser, GetDownloadFolder() returns the folder where the downloads go by default).

Best regards
Koldo

Subject: Re: More new functions
Posted by [captainc](#) on Fri, 24 Oct 2008 12:05:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Can you explain this line to me?
`int LaunchCommand(const char *cmd, void (*readCallback)(String &))` Particularly the `readCallback` part.

Also, if you're not using a GUI (CtrlCore), what will happen with this line: `Ctrl::ProcessEvents();`

Subject: Re: More new functions
Posted by [mrjt](#) on Fri, 24 Oct 2008 13:28:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

`captainc` wrote on Fri, 24 October 2008 13:05Can you explain this line to me?
`int LaunchCommand(const char *cmd, void (*readCallback)(String &))` Particularly the `readCallback` part.
Shouldn't this be:
`int LaunchCommand(const char *cmd, Callback1<String> readCallback)`

`captainc` wrote on Fri, 24 October 2008 13:05Also, if you're not using a GUI (CtrlCore), what will happen with this line: `Ctrl::ProcessEvents();`
I haven't tried, but presumably it won't compile. I'm also not sure if it's safe to call `ProcessEvents` from outside the GUI thread, but I'm guessing not.

Perhaps you could replace `ProcessEvents` with `Sleep`? If somebody wants to update a GUI then they should use the `Callback` version of `LaunchCommand` and do it themselves. I think it could then be run in a thread, which would be more useful for command line apps IMO.

Subject: Re: More new functions

Hello all

Thank you for the feedback. First I inclose you a screengrab of a program I am doing that uses these functions. It is very preliminary but it runs:

With this program I drag-drop movie clips in a main track that I convert in DVD format mpg files:

- With `LaunchCommand(const char *cmd, String &ret);` I get the video images you see in the center-left side column using mplayer
- With `LaunchCommand(const char *cmd, void (*readCallBack)(String &));` I get the final .mpg DVD compatible file using mencoder. All the mencoder output goes to a function that sends it to a window (in the screengrab). If the window is closed, it kills the process before.

Coming to the comments:

- You are right: I have to change `LaunchCommand` in case of non GUI program to not call `Ctrl::ProcessEvents();`
- `Ctrl::ProcessEvents();` lets the main GUI program to follow doing other things and being responsive to user without stoping the process. The command runs in another thread and the main GUI program only gets its output.

It is not perfect multithread, but it works well.

- In `LaunchCommand`, for example, to join to files, I would do `LaunchCommand("mencoder a.avi b.avo -oac copy -ovc copy - ab.avi", myfun);`

a basic `myfun` would be like:

```
void myfun(String &s)
{
    MySendStrToCommandWindow(s);
    MyParseStrToMoveProgressBar(s);
}
```

About the functions, I have prepared more but before finishing them I would like to ask you if putting them in different functions or declaring them into classes like:

```
class SysFolders      // Special folders
String GetDesktop();
String GetPrograms();
String GetAppData();
String GetMusic();
String GetPictures();
String GetVideo();
String GetPersonal();
String GetTemplates();
String GetDownload();

String GetRoot(); // New
String GetTemp(); // New
    Possible new functions to change folders
```

```
class SysOS      // OS info. Samples after //
String GetName(); // Windows Linux
String GetCode(); // 6.0 2.6.8-1.523
String GetVersion(); // Vista Ubuntu
String GetRelease(); // Home Premium Edition 8.04
String GetSize(); // 64-bit 32-bit
```

```
class SysCPU     //CPU info
String GetIdentifier();
String GetLevel();
String GetRevision();
String GetArchitecture;
String GetSpeed();
String GetNumber();
    Possible new functions to get more details
```


```
class SysProcesses //Current processes info.
bool Update(); // Gets processes info
bool GetFirst(int processId, String pName);
bool GetNext(int processId, String pName);
    Possible new functions to kill processes or change priority
```

I have seen in Upp that it tends to not create new classes with grouped static functions inside, but doing alone functions. What do you prefer ?

Best regards
Koldo

File Attachments

1) [Screengrab.jpg](#), downloaded 1964 times



Subject: Re: More new functions
Posted by [captainc](#) on Sun, 26 Oct 2008 00:03:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:I have seen in Upp that it tends to not create new classes with grouped static functions inside, but doing alone functions.

This is a good point. I think it would be helpful to have functions grouped in some way. I have learned about the global function by just going one by one down the auto-complete assist++ list and reading the code on what those functions do. Some are self-explanatory, others are not. Most of them have simple intuitive names, but sometimes you need to do a search through all the functions to find the one you are looking for because assist++ matches from the beginning of the name. Though, in some ways, all those global functions have been very helpful because they were right there for me to scroll to. I think the problem is going to come in as we keep adding more and more to global.

Subject: Re: More new functions
Posted by [koldo](#) on Sun, 26 Oct 2008 09:19:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello captainc

Thats it. In some cases is more than grouping functions indeed.
For example in the "SysCPU" functions related with the CPU info, the program gets all the information in one time so, for String GetSpeed() it will get all information for just getting the speed. As this information does not change while the program is running (CPU make, number, speed, etc), the class would gather all the info one time so the function would be like this:

```
SysCPU::GetSpeed() {return speed;};
```

In "SysProcesses" functions it is a little different as the processes info is something changing so we could have at the same cost two focus:

```
- class SysProcesses      //Current processes info.  
  bool Update();        // Gets processes info  
  bool GetFirst(int &processId, String &pName);  
  bool GetNext(int &processId, String &pName);
```

or

```
- bool GetProcessesList(Array<int>&pid, Array<String>&name);
```

Best regards
Koldo

(P.D. Class and function names are just a proposal that you could change)

Subject: Re: More new functions
Posted by [koldo](#) on Thu, 30 Oct 2008 07:24:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello all

Sorry for the delay. Now I am waiting for luzr final feedback about the structure of these functions.

After that I plan to have them ready (functions, a guy test and a text test) and tested for XP, Vista, Ubuntu 32 and 64 bits in two weeks.

In the second phase of about a month I want to test them with these free (as free beer) distros: Mandriva, Open Suse, Gentoo and Knoppix, 32/64 bits, Intel/AMD64, Gnome/Kde/Xfce desktops. This is because some of these functions have to identify the system accurately so they have to be tested with as many systems as possible.

Best regards
Koldo

Subject: Re: More new functions
Posted by [cocob](#) on Fri, 31 Oct 2008 09:44:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have a little question.

We are always speaking about xp, vista ubuntu 32 & 64 but what about xp and vista 64 ?
Does upp works well on these paltforms ?

Subject: Re: More new functions
Posted by [koldo](#) on Fri, 31 Oct 2008 12:25:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello cocob

Sorry but I cannot answer you as I do not have access to them.

Best regards
Koldo

Subject: Re: More new functions
Posted by [mirek](#) on Fri, 31 Oct 2008 12:34:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Thu, 30 October 2008 03:24Hello all

Sorry for the delay. Now I am waiting for luzr final feedback about the structure of these functions.

```
class SysFolders      // Special folders
String GetDesktop();
String GetPrograms();
String GetAppData();
String GetMusic();
String GetPictures();
String GetVideo();
String GetPersonal();
String GetTemplates();
String GetDownload();

String GetRoot(); // New
String GetTemp(); // New
    Possible new functions to change folders
```

I think these should be in App.h, as global functions appended with "Path" or "Folder".

```
class SysOS      // OS info. Samples after //  
String GetName(); // Windows Linux
```

I am not quite sure the merit of above.

```
String GetCode(); // 6.0 2.6.8-1.523
```

IMO we need something more comparable there. Maybe like puttint it into int64 as 4 16-bit fields or something like that? Or maybe just introduce "CompareVersion" function?

```
CompareVersion("2.4.5", "2.5.2") < 0
```

```
String GetSize(); // 64-bit 32-bit
```

What for?

```
class SysCPU      //CPU info  
String GetIdentifier();  
String GetLevel();  
String GetRevision();  
String GetArchitecture;  
String GetSpeed();  
String GetNumber();  
    Possible new functions to get more details
```

Well, maybe... Anyway, I have a hard time imagining what are these good for beyond some fancy about box.

Still, not a bad idea to have it implemented.

```
class SysProcesses //Current processes info.  
bool Update(); // Gets processes info  
bool GetFirst(int processId, String pName);  
bool GetNext(int processId, String pName);  
    Possible new functions to kill processes or change priority
```

Yes, class for this one... The question is whether this belongs to Core. Most apps will not need this. But perhaps yes still.

Mirek

Subject: Re: More new functions
Posted by [koldo](#) on Fri, 31 Oct 2008 14:51:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello luzr

I agree. I begin to work.

About SysOS and SysCPU:

- String GetName(); // Windows Linux

- I agree with your code:

```
CompareVersion("2.4.5", "2.5.2") < 0
```

- I will also include distro identification

Somebody could say that the user do know the OS, desktop, distro, cpu, etc. as it is his/her computer. But:

- Some info is interesting for the program itself, as knowing which desktop is installed
- In case of errors the program can do accurate reports to be sent to the developers.

But for SysCPU, I will reduce the number of functions...

I will also include this functions:

```
// I do not like this name. Perhaps:
```

```
// GetExtProgram() or GetProgramFromExtension()
```

```
String GetExtExecutable(const char *ext);
```

```
bool LaunchFile(const String& file);
```

```
int LaunchCommand(const char *cmd, void (*readCallBack)(String &));
```

```
int LaunchCommand(const char *cmd, String &ret);
```

```
bool FileCat(const char *file, const char *appendFile);
```

Best regards

Koldo

Subject: Re: More new functions

Posted by [bytefield](#) on Fri, 31 Oct 2008 15:03:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Instead of having these functions parted or just some of them i suggest to make a Sys package on bazaar and put in it all stuff that is related to, so who want to use CPU/OS/Version/etc may use that package easy and who doesn't need these functions doesn't have to worry about "bloating" his code... I think that's why Upp have a modular design, no? And that's why bazaar exist...

Subject: Re: More new functions

Posted by [koldo](#) on Thu, 13 Nov 2008 08:15:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello all

I follow working hard in this.
Now It is 100% tested in Windows and 80% in Linux.
I expect to show you the results in few days.

Best regards

Koldo

Subject: Re: More new functions

Posted by [koldo](#) on Wed, 19 Nov 2008 07:09:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello all

I will post tomorrow the functions tested in XP and Vista (MinGW and MSC), Ubuntu 32-64 8.04, Kubuntu and Xfce 8.10 and Fedora 9.

Best regards

Koldo

Subject: Re: More new functions

Posted by [koldo](#) on Wed, 19 Nov 2008 16:44:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Here it is!

I enclose you two folders:

- SysInfo: The package

---- SysInfo.cpp

---- SysInfo.h

---- SysInfo.upp

- SysInfo demo non-gui: A command line sample
---- main.cpp: The sample
---- SysInfo demo non-gui.upp

Finally I have included much more functions. Just run the demo program and play with it.

There are "SysInfo" functions and others, mainly because they were necessary. Please tell me the best way to organize them to be enclosed some in bazaar and some in other packages.

The next steps will be in addition to do a gui demo and to test the commands in more distros and OS as FreeBSD, OpenSolaris, Slackware and Knoppix. And of course to fix bugs and include more things if you want.

Best regards
Koldo

PD. I enclose you part of the program output as a sample:

Introduce enter or (l) to log off, (r) to reboot or (s) to shutdown
Introduce number of test cycles or just type enter to run it once:
SysInfo functions demo

Special folders

Desktop: /home/aupa/Escritorio
Programs: /usr/bin
Application Data: /home/aupa
Music: /home/aupa/Escritorio
Pictures: /home/aupa/Escritorio
Video: /home/aupa/Escritorio
Personal: /home/aupa/Escritorio
Templates: /home/aupa/Escritorio
Download: /home/aupa/Escritorio
Temp: /home/aupa
Os: /bin
System:

System info:

System manufacturer 'TOSHIBA', product name 'Satellite A300',
version 'PSWJ0E-21403CE', number of processors: 2
Real CPU Speed: 1.830 GHz
Battery info
Working with battery: yes, Percentage: 85%, Remaining; 151 min
Bios version 'V2.70 ',
release date '04/14/2008'
Processor #0: Vendor 'GenuineIntel',
identifier 'Intel(R) Core(TM)2 Duo CPU T5550 @ 1.83GHz',
architecture 'i686'

Family 6 Model 15 Stepping 13', speed 1833 MHz
Processor #1: Vendor 'GenuineIntel',
identifier 'Intel(R) Core(TM)2 Duo CPU T5550 @ 1.83GHz',
architecture 'i686'
Family 6 Model 15 Stepping 13', speed 1833 MHz

Press enter to continue...

Memory info:

Percent of memory in use: 75%
Total physical memory: 2116001792 bytes (2.0Gb)
Free physical memory: 518352896 bytes (494.3Mb)
Total paging file: 729112576 bytes (695.3Mb)
Free paging file: 0 bytes (0b)
Total virtual memory: 4721266688 bytes (4.4Gb)
Free virtual memory: 4721266688 bytes (4.4Gb)

Os info:

Kernel: Linux, version: 2.6.24-21-generic #1 SMP Tue Oct 21 23:43:45 UTC 2008,
architecture: i686

Distro: ubuntu, version: 8.04
Desktop: gnome, version: 2.22.3

Program compiled with glibc version 2.7.0. Compilation date: Nov 19 2008

Default exes info:

Default program for 'html' is 'firefox.desktop'
Default program for 'doc' is 'ooo-writer.desktop'
Default program for 'png' is 'eog.desktop'
Default program for 'pdf' is 'evince.desktop'
Default program for 'txt' is 'gedit.desktop'
Default program for 'xyz' is ''

Drives list:

Drive path: '/'
Type: 'Hard', Volume: 'Linux',
MaxName: 255, File System: ext3
Free Bytes User: 46895562752 (43.7Gb)
Total Bytes User: 54519554048 (50.8Gb), Total Free Bytes: 46895562752 (43.7Gb)
Drive path: '/home'
Type: 'Hard', Volume: 'Shared drive',
MaxName: 255, File System: ext3
Free Bytes User: 71834021888 (66.9Gb)
Total Bytes User: 130094362624 (121.2Gb), Total Free Bytes: 71834021888 (66.9Gb)

Other Info:

Process Id: 17248

Process name: 'demo'
Process file name: '/home/exe/demo'
Process priority is: 5
Now changed to high priority: No
Process priority is: 5

Launch file 'test.txt':

If modify 'test.txt' it will ask you to save or not the file
If you answer Yes or No the program will be terminated
If you answer Cancel or wait more than 5 seconds the program will be killed

Press enter to terminate 'test.txt'
Process terminated

Windows list:

Window hwnd: 41943086, processId: 6154, Name: gdesklets-daemon
File name: /usr/bin/python2.5

Window caption: 'gdesklets-daemon '

Window hwnd: 16821977, processId: 5995, Name: nautilus

File name: /usr/bin/nautilus

Window caption: 'SysInfo demo non-gui - Navegador de archivos '

Window hwnd: 35654762, processId: 0, Name: theide-svn

File name:

Window caption: 'SysInfo demo non-gui - - TheIDE - [/home/SysInfo/SysInfo.cpp UTF-8] {
MyApps }'

Process list:

Id 5898: Priority: 5, Program: /usr/bin/gnome-session

Id 5948: Priority: 5, Program: /usr/lib/libgconf2-4/gconfd-2

Id 5956: Priority: 5, Program: /usr/bin/seahorse-agent

Id 17071: Priority: 5, Program: /usr/bin/theide-svn

File Attachments

1) [SysInfo.7z](#), downloaded 469 times

Subject: Re: More new functions

Posted by [tojocky](#) on Thu, 20 Nov 2008 09:35:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:C:\MyApps\SysInfo\SysInfo.cpp(30) : fatal error C1083: Cannot open include file:
'usvn/SlaveProcess.cpp': No such file or directory

Subject: Re: More new functions

Posted by [koldo](#) on Thu, 20 Nov 2008 13:18:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Ion

Look to your upp/uppsrc folder. Inside there has to be a usvn folder with SlaveProcess.cpp file inside.

If not try to look for that file and include it in the project.

Please tell if you found it and where for fixing if something is wrong from me.

Best regards

Koldo

Subject: Re: More new functions

Posted by [tojocky](#) on Fri, 21 Nov 2008 06:40:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have not found file "SlaveProcess.cpp" in usvn folder from uppsrc folder (updated by svn).

From where can o get this file?

In package organizer is not added usvn package. this is not a problem. I can add this!

Subject: Re: More new functions

Posted by [koldo](#) on Fri, 21 Nov 2008 07:17:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Ion

Here they are SlaveProcess.cpp and SlaveProcess.h.

Best regards

Koldo

File Attachments

1) [usvn.rar](#), downloaded 428 times

Subject: Re: More new functions

Posted by [tojocky](#) on Fri, 21 Nov 2008 12:25:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Fri, 21 November 2008 09:17Hello Ion

Here they are SlaveProcess.cpp and SlaveProcess.h.

Best regards
Koldo

Hello Koldo

The class LocalProcess is redefinition. May be you used a old svn version?

The class LocalProcess is create in core/LocalProcess.h

Subject: Re: More new functions
Posted by [koldo](#) on Fri, 21 Nov 2008 15:13:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Ion

Yes, that's right... it has been moved to core 5 days ago!.
Today I will post the update.

Best regards

Subject: Re: More new functions
Posted by [koldo](#) on Fri, 21 Nov 2008 21:24:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello all

Here it is the updated version.

Best regards
Koldo

File Attachments

1) [SysInfo.7z](#), downloaded 387 times

Subject: Re: More new functions
Posted by [tojocky](#) on Sat, 22 Nov 2008 07:32:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Coldo!
There is a mistake:

Quote:

```
#if defined(PLATFORM_WIN32)
#if defined(__MINGW32__)

#define PRODUCT_UNDEFINED                0x00000000

#define PRODUCT_ULTIMATE                0x00000001
#define PRODUCT_HOME_BASIC              0x00000002
#define PRODUCT_HOME_PREMIUM            0x00000003
#define PRODUCT_ENTERPRISE              0x00000004
#define PRODUCT_HOME_BASIC_N            0x00000005
#define PRODUCT_BUSINESS                 0x00000006
#define PRODUCT_STANDARD_SERVER         0x00000007
#define PRODUCT_DATACENTER_SERVER       0x00000008
#define PRODUCT_SMALLBUSINESS_SERVER    0x00000009
#define PRODUCT_ENTERPRISE_SERVER       0x0000000A
#define PRODUCT_STARTER                  0x0000000B
#define PRODUCT_DATACENTER_SERVER_CORE   0x0000000C
#define PRODUCT_STANDARD_SERVER_CORE    0x0000000D
#define PRODUCT_ENTERPRISE_SERVER_CORE   0x0000000E
#define PRODUCT_ENTERPRISE_SERVER_IA64  0x0000000F
#define PRODUCT_BUSINESS_N              0x00000010
#define PRODUCT_WEB_SERVER               0x00000011
#define PRODUCT_CLUSTER_SERVER           0x00000012
#define PRODUCT_HOME_SERVER              0x00000013
#define PRODUCT_STORAGE_EXPRESS_SERVER   0x00000014
#define PRODUCT_STORAGE_STANDARD_SERVER  0x00000015
#define PRODUCT_STORAGE_WORKGROUP_SERVER 0x00000016
#define PRODUCT_STORAGE_ENTERPRISE_SERVER 0x00000017
#define PRODUCT_SERVER_FOR_SMALLBUSINESS 0x00000018
#define PRODUCT_SMALLBUSINESS_SERVER_PREMIUM 0x00000019

#define PRODUCT_UNLICENSED                0xABCDABCD
#endif
...
#endif
```

you have defined only for mingw32 build but not and for msc8, or msc9!

Subject: Re: More new functions
Posted by [koldo](#) on Sat, 22 Nov 2008 22:24:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Ion

I have seen that MSC9 includes those constants but at least the MinGW version included in Ultimate does not, so I have included them only for MinGW.

Best regards
Koldo

Subject: Re: More new functions
Posted by [tojocky](#) on Sun, 23 Nov 2008 06:58:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Sun, 23 November 2008 00:24Hello Ion

I have seen that MSC9 includes those constants but at least the MinGW version included in Ultimate does not, so I have included them only for MinGW.

Best regards
Koldo
Hello Coldo. With MSC8 is not included.

Subject: Re: More new functions
Posted by [mirek](#) on Sun, 23 Nov 2008 09:45:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Sat, 22 November 2008 17:24Hello Ion

I have seen that MSC9 includes those constants but at least the MinGW version included in Ultimate does not, so I have included them only for MinGW.

Best regards
Koldo

`#ifdef?`

Mirek

Subject: Re: More new functions
Posted by [koldo](#) on Sun, 23 Nov 2008 15:20:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

As you like!

In this case both `#if defined(__MINGW32__)` and `#ifdef __MINGW32__` are equivalent.

If you prefer I will change all the `#if defined` to `#ifdef`.

The second is shorter but the first is a little richer. For example I think `#if defined(x) || defined(y)` is

not possible with #ifdef.

Best regards
Koldo

Subject: Re: More new functions
Posted by [mirek](#) on Sun, 23 Nov 2008 17:23:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Sorry, I meant

```
#ifndef PRODUCT_UNDEFINED
```

Mirek

Subject: Re: More new functions
Posted by [koldo](#) on Sun, 23 Nov 2008 19:08:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello luzr

Really PRODUCT_UNDEFINED and some others are not used inside the code, but I will do what you indicate me.

Best regards
Koldo

Subject: Re: More new functions
Posted by [koldo](#) on Sun, 23 Nov 2008 23:28:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello all

Here I enclose you an update with a fix to a problem in Kde that has been very hard for me to solve: in certain situations Kde console demo got an Xlib exception in situations covered by the program. This did not happened in Gnome or Xfce.

The solution has been as simple as including a dummy X11 error handler, as the program by itself manages the errors properly. As usual the solution came analyzing the Upp code.

Thank you for your comments. Please give me some feedback if the program works right and in which environments.

Best regards
Koldo

File Attachments

1) [SysInfo.7z](#), downloaded 386 times

Subject: Re: More new functions
Posted by [koldo](#) on Wed, 03 Dec 2008 08:30:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello all

I am very happy to show you the SysInfo testing results (see inclosed spreadsheet for details).
- If the distro is tested and all or almost all the functions run properly
- If I did not found a live CD to test the distro or I have had problems when running it that avoided me to test the SysInfo console demo

DISTROS AND O.S.

BSD

Freesbie

GNU/Linux

Fedora

Fluxbox

Gentoo

Knoppix

Kubuntu

Mandriva

Opengeu

OpenSuse

Slackware

Slax (Slackware)

Ubuntu (32 & 64 bits)

Xubuntu

Windows

Vista

XP

DESKTOPS

Gnome

Kde

Xfce

Enlightenment

Fluxbox

In the inclosed SysInfo.zip you can find the source, the demo and the testing results including the

log files and a spreadsheet table with the detailed results per distro.

For now the functions documentation is in the SysInfo.h file

SysInfo functions give information about:

- Special folders (Desktop, Download, Music, ...)
- System Info
- Memory Info
- Os Info
- Distro Info
- Default Exes
- Drives Info
- Launch File
- Find and Kill Window
- Windows List
- Process List

This functions do not require:

- To install additional programs. They do not have dependencies
- Super user permissions

If you want to use SysInfo and your distro/kernel is not in the list please try it. If some of the functions do not work please send me a post and I will try to solve it.

I will try to put this in Bazaar (now I do not know how)

In another post I will include new SysInfo functions I want to do. Ideas are acknowledged.

Best regards
Koldo

File Attachments

1) [SysInfo.zip](#), downloaded 387 times

Subject: Re: More new functions

Posted by [mirek](#) on Mon, 15 Dec 2008 09:07:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Wed, 03 December 2008 03:30

- If the distro is tested and all or almost all the functions run properly
- If I did not found a live CD to test the distro or I have had problems when running it that avoided me to test the SysInfo console demo

IMO, using / was not a best idea Also, mixing "not found a live CD" vs "problems" is not a good

idea either...

I think we should have 3 lists - where it works, where it does not and where it was not tested.

Mirek

Subject: Re: More new functions
Posted by [koldo](#) on Wed, 17 Dec 2008 07:33:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ok

I will update it in next December release to be done in Bazaar.

Best regards
Koldo

Subject: Re: More new functions
Posted by [koldo](#) on Sat, 17 Jan 2009 21:32:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello all

Added SysInfo and Automation libraries and samples in Bazaar (post http://www.ultimatepp.org/forum/index.php?t=msg&goto=19776&#msg_19776).

Best regards
Koldo

Subject: Re: More new functions
Posted by [Mindtraveller](#) on Wed, 22 Dec 2010 06:49:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

It looks like GetAppDataFolder() returns empty string in some cases on Windows 7 (especially when run under debugger). Inner tracing shows that SHGetFolderPathW() returns <void>, and I don't know if it is good.

More of that, GetHomeDirectory() is more stable but returns poorly encoded value under Windows 7. In such cases, ToSystemCharset(GetHomeDirectory()) returns right value.

App encoding is UTF8, Win version is Win7 Ultimate Russian. User name is in russian characters. Local folders are default.

Subject: Re: More new functions
Posted by [koldo](#) on Sat, 25 Dec 2010 09:05:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Mindtraveller

In fact SHGetFolderPathW seems to be deprecated.
