

---

Subject: Refresh Layout

Posted by [sapiency](#) on Wed, 12 Nov 2008 22:05:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I start searching for devices from a menuitem. All founded devices are insert in a devicetree.

Actually the tree refresh when I move the mouse over the tree, but it would be nice to see all the devices which where found without user action.

I tried Refresh[...]() in the method where the elements are insert into the tree but it does not work as I expect ...

Any idea for a solution?

regards

reinhard

---

---

Subject: Re: Refresh Layout

Posted by [sapiency](#) on Thu, 13 Nov 2008 19:29:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mmmh, maybe too less information ...

- gui with PostCallback - Method catch messages from a thread and insert data in a datastructure. one datastructure for each connected device.
  - searching for devices is started from the menu and done by the thread in the background
  - new devices are simple messages with special headers and go the same way as all other messages too. thread put them in a queue, postcallback catch dem ....
  - all devices are shown in a devicetree (works), but updating the layout of the tree, with showing all subelements is only done when the user work - move the mouse over the gui.
- because of further activities/ features I want that the screen is updated whenever a message arrives which bear on data shown on the gui, but not when messages arrive which are for devices in the background.

Is it possible to do this with upp? Current it is not done ore the delay is so huge that I don't realized it.

regards

reinhard

---

---

Subject: Re: Refresh Layout  
Posted by [mirek](#) on Fri, 14 Nov 2008 16:45:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Are we speaking about TreeCtrl?

---

---

Subject: Re: Refresh Layout  
Posted by [sapiency](#) on Fri, 14 Nov 2008 18:22:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Fri, 14 November 2008 17:45: Are we speaking about TreeCtrl?  
ups .. yes ....

I realized that Refresh itself works. I tried it with a timer as shown in the example clock.

because it doesn't show what I expected in TreeCtrl I thought I use it in the wrong way generally.

When I add a new tree element I want to see it automatically in the opened tree. I also called the method `opendeep(n)`, but even directly after I add the new element, nothing happened.

If it is not clear enough, I try to put everything in a small example.

Maybe it's only a problem of missing experience with programming or only the missing overview on up features.

because of the current structure of holding data in the background I need a signal or anything else which I can use to start my code to get the new data out of the data structure. I tried this with refresh and then overload `Paint` and put there the code I want to execute. But that is not a really good solution ... because there are elements I want to be editable. Maybe you understand what I want to do with this few information.

regards

reinhard

---

---

Subject: Re: Refresh Layout  
Posted by [mirek](#) on Fri, 14 Nov 2008 18:40:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

sapiency wrote on Fri, 14 November 2008 13:22  
If it is not clear enough, I try to put everything in a small example.

Please do. ALWAYS add a testcase, if possible, please. Saves a ton of misunderstandings. And when it is U++ bug, provides a good testcase to fix it.

Mirek

---

---

Subject: Re: Refresh Layout  
Posted by [sapiency](#) on Fri, 14 Nov 2008 23:36:55 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

hi,

I think I found the problem ...

the application is almost similar to the example.

when I put Refresh() at the end of the postcallback, I get what I want, but not when I call it from the look in the callback. But when a lot of messages come in, I don't know how long it takes to process them.

mmm maybe I have to break the background process so the gui can refresh ..

regards

reinhard

ps: at first I tested it with the timer, it works perfect. by the way, how can I stop the timer?

---

#### File Attachments

1) [refresh.zip](#), downloaded 282 times

---

---

Subject: Re: Refresh Layout  
Posted by [sapiency](#) on Sat, 15 Nov 2008 08:57:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On action in the TreeCtrl I need to refresh some other parts of the gui. But they are childs of the main window and Refresh..() has no effect on that parts. \*parent is private so I cannot call a function from the parent window. Any tip to solve this? Or does I have to give the child a reference to the parent manually ..

regards reinhard

---

---

Subject: Re: Refresh Layout  
Posted by [mirek](#) on Sat, 15 Nov 2008 13:43:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

OnChange does not end for very long time -> there is no chance of updating the GUI (we are running just single main thread; usually GUI gets updated when the event queue is empty).

---