
Subject: chess like drag&drop possible in u++ ?
Posted by [kenton](#) on Fri, 17 Sep 2010 09:02:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

my first post on this forum, hoping to do a good impression
i choosed u++ for develop a school timetable scheduling application.
Like in a chess board i want to drag&drop an image that is a simple colorized square into a grid
(the timatable) like pieces over the chess board.
It's my first GUI with this kind of features and i have no idea about the approach to do it.
I need only the more sensed way that you will follow in my situation.
For example: "you have to draw the timetable structure with opengl then u move simple images
over it and in order to realize a drag&drop where the image follow the mouse cursor you have to
... etc."
Hope don't asking too much, because i need a poin to begin with a way that give me the first
direction of my efforts.

Thanks you all.
Have a good day.

Andrea

Subject: Re: chess like drag&drop possible in u++ ?
Posted by [dolik.rce](#) on Sun, 19 Sep 2010 08:45:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Andrea!

Welcome to the forum

I was hoping someone more skilled with the DnD will answer you, but since nobody did, I'll try
myself. So, sorry it took so long. Hopefully someone corrects me if I make some mistakes.

Doing drag and drop apps is of course possible in U++, and it is not really difficult. The biggest
problem is lack of documentation, but hopefully this example will help you.

What you have to do is to create your own widget, inherited from Ctrl (or some other widget, if you
want to reuse some code and save some typing) and override few virtual methods that deal with
the DnD. Absolute minimum is to implement LeftDrag() and DragAndDrop(). The first is taking
care of the dragging and is called when you start dragging. It should contain call to
DoDragAndDrop() which waits till you drop and let you perform any necessary cleanup. The
second function, DragAndDrop is taking care of accepting the dragged item. It is called over and
over again, until you drop the item.

I attach a simple example, hopefully it will help you. I left there LOG calls so you can get better
idea of how the functions are called (you can view the log by pressing Alt+L after running the app).

Don't be afraid to ask if you need more details, there is always someone willing to answer in this forum

Best regards,
Honza

File Attachments

1) [dnd.zip](#), downloaded 276 times

Subject: Re: chess like drag&drop possible in u++ ?
Posted by [kenton](#) on Sun, 19 Sep 2010 10:50:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks You Honza !!

It's 1 hour that i'm trying to make working your example
and now i'm able to make a new assembly correctly in order to compile your code
Can seem stupid but for the first u++ program it isn't

Well, your answer is very clear and now i will do the first run !
For the lack of documentation i hope that this thread will be a point to start if i decide to realize my project in u++.
I will try to write down my learning steps from my beginner point of view.

In another forum a user advice me to work in codeblocks + wxwidgets + gtk
I think that my choose have to consider my needs:

- cross-platform
- license allows commercial use
- simplicity

There is something that i can not do in u++ ?

Subject: Re: chess like drag&drop possible in u++ ?
Posted by [kenton](#) on Sun, 19 Sep 2010 10:53:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

OMG++ !!

I runned the example,
it's exactly what i need !
Wonderful ...

I start to analyze the code following your advices ...

Subject: Re: chess like drag&drop possible in u++ ?
Posted by [dolik.rce](#) on Sun, 19 Sep 2010 11:40:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

kenton wrote on Sun, 19 September 2010 12:50 Thanks You Honza !!

It's 1 hour that i'm trying to make working your example
and now i'm able to make a new assembly correctly in order to compile your code
Can seem stupid but for the first u++ program it isn't

Well, your answer is very clear and now i will do the first run !
For the lack of documentation i hope that this thread will be a point to start if i decide to realize my project in u++.
I will try to write down my learning steps from my beginner point of view.

In another forum a user advice me to work in codeblocks + wxwidgets + gtk
I think that my choose have to consider my needs:

- cross-platform
- license allows commercial use
- simplicity

There is something that i can not do in u++ ?
The directory in zip corresponds to a package, just unpacking it into MyApp (which is usually created automatically on install) is enough to get it available in TheIDE. The learning curve in U++ is pretty steep, but rest assured, that what now takes you an hour will take you a minute in just a few weeks

About your needs: BSD license is very permissive. There should be no problems with that.
Simplicity is hard to define U++ is definitely not simple in terms of its internals. But it allows to write very simple application code. Also very fast (both to write and to run) The cross-platform support means win32 (XP to 7, 98 not officially supported but still working), Linux and BSD. The Mac OS X support is not ready yet, but some people are working on it.

U++ allows you to do anything you can think of Usually in fast and reliable way. Also the community is great and gives a great support.

I'm glad to hear you got the example working and that it is what you meant. BTW: Notice that it is less than 100 lines of code - that is what I call simplicity

Honza

Subject: Re: chess like drag&drop possible in u++ ?
Posted by [kenton](#) on Sun, 19 Sep 2010 12:12:40 GMT

Yes, the first day is the first day but i made some simple applications in codeblocks + wxwidgets so ...

The simplicity of this example amazed me !!

I have some questions:

- It's possible to view and edit the .lay file ?
- In the example we have a 2x2 matrix of "Tile" class, overrided from "ctrl" one. In my application the matrix will be nXn dependent to parameters gived by user runtime. So my question is: this 2x2 scheme is fixed or can be changed continuously runtime ?

I'm right thinking that i need something more graphic like? Maybe like the .lay display area of the "TheIDE". That display can show whatever we want and we can interact with it too.

Andrea

Subject: Re: chess like drag&drop possible in u++ ?
Posted by [dolik.rce](#) on Sun, 19 Sep 2010 12:37:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

kenton wrote on Sun, 19 September 2010 14:12The simplicity of this example amazed me !!U++ still amazes me too, even after couple of years of using it

kenton wrote on Sun, 19 September 2010 14:12- It's possible to view and edit the .lay file ?That's what is layout editor in theide for. Just open the file and you should see a graphical representation of the layout (if you see only text, try pressing Alt+T). Here you can add/remove/manipulate widgets as you wish. Have a look at the GUI tutorial, it should explain a lot.

kenton wrote on Sun, 19 September 2010 14:12- In the example we have a 2x2 matrix of "Tile" class, overrided from "ctrl" one. In my application the matrix will be nXn dependent to parameters gived by user runtime. So my question is: this 2x2 scheme is fixed or can be changed continuously runtime ? Yes the widgets can be added/removed/changed at runtime as you wish. You can start with layout from .lay file and modify it in the code, or you can build everything in code. For this app, you probably won't use the lay file for the grid, it was just an example. There are even other choices, like having another widget that would represent the grid (containing and managing the variable number of Tiles), so you would then put only this "master-widget" into the layout. The possibilities are endless in U++

If you wan't something like the layout editor, it is of course possible. After all, the layout editor is written in U++ as well My guess is that you don't need it to be that complex, so maybe a context menu with options like "add box" would be sufficient... But you are the designer and you choose how you want the app to behave. U++ is very flexible and will let you do anything.

Honza
