

---

Subject: Open file as stream for fgetpos(), fseek(), etc.  
Posted by [nlneilson](#) on Tue, 09 Nov 2010 01:43:39 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I am using the file chooser in upp.  
FileIn in((String)fn);

What is the best way in upp to open the file as a stream:  
FILE \*fp;  
or  
ifstream infile (fp);

so these C++ functions can be used:  
fgetpos(), fseek(), fseeko(), fsetpos(), ftell() and ftello()

and still use:  
while(!in.IsEof()){  
    Ln = in.GetLine();  
or something similar to get the lines.

---

Subject: Re: Open file as stream for fgetpos(), fseek(), etc.  
Posted by [dolik.rce](#) on Tue, 09 Nov 2010 05:20:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Neil,  
Do you really need to use the C++ functions? Why not just use the FileIn::Seek() and FileIn::GetPos(), do you miss some functionality in them?

Honza

---

---

Subject: Re: Open file as stream for fgetpos(), fseek(), etc.  
Posted by [nlneilson](#) on Tue, 09 Nov 2010 06:05:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I had no idea that upp had FileIn::Seek() and FileIn::GetPos().

After getting Vista to search, I had previously had turned off indexing as it took too much CPU and had to change settings in search tools, the upp directory (which includes any help files shipped with upp) found fseek.

Can this be found in the "Manual" in the left sidebar of the forum?

I did make some progress with:

```
ifstream inFile("test1.txt");
getline (in,Lnn);
```

An interesting thing there was `getline` returns a string but `Ln = in.GetLine();` returns a `String` upp has a capital S C++ has small s The compiler error let me know.

Does upp have functions for `fseeko()`, `fsetpos()`, `ftell()` and `ftello()`?

upp and this forum are great, the documentation is lacking for those just getting into it.

edit: If someone could put the "Manual" in a .zip or .tar that would be great help. If it's a matter of where to place and serve it I have a website that in more than 2 years has never used more than 10%.

---

Subject: Re: Open file as stream for `fgetpos()`, `fseek()`, etc.  
Posted by [dolik.rce](#) on Tue, 09 Nov 2010 06:24:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

They can be found in Stream documentation, because they're part of the interface common to all Streams.

The `fseeko` function is not needed, it's only difference from `fseek` is the type of position parameter. The `Seek()` method takes `int64` argument, so it is actually equivalent to `fseeko64()` and that should be suitable for anything. Similarly for `ftello`.

Now, IIRC `ftell()` essentially differs from `fgetpos()` only in fact that one returns number of characters and the other number of bytes, right? The same holds for `fseek()` and `fsetpos()`. The U++ streams always work with bytes, not characters and the same is true for `String`, so only the byte versions are usually necessary. If you work with multibyte characters, you will have to load them to `WString` first if you want to work with characters.

Windows search is and always has been a disaster. It is usually faster to search help in theide, or even search the uppsrc directory using "Search in files..."

Honza

---

Subject: Re: Open file as stream for `fgetpos()`, `fseek()`, etc.  
Posted by [nneilson](#) on Tue, 09 Nov 2010 06:52:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Thanks for taking the time to explain.

Much of the time I find a snip of code that works and just modify it. When I do dig into something the next time it is needed it has been forgotten.  
Without my old code and any notes made it's a learning process again.

---

---

Subject: Re: Open file as stream for `fgetpos()`, `fseek()`, etc.

Posted by [mr\\_ped](#) on Tue, 09 Nov 2010 08:52:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

nneilson: U++ being crossplatform platform means whenever you are looking at some basic C++ `clib/POSIX` function at thinking about using it, you should have warning bell in head saying "how does U++ wrap this?" and search for it first, or ask at forum. When you adopt this tactic, you will start straight with `upp::Stream` and save yourself some trouble later.

Although this approach locks you to U++, but then again, the source is here, so it's not that much of "lock". And benefits ... usually cleaner API, hiding platform specific details (like `int` vs `int64` in `clib` file functions), and usually a nice interface to read things directly into `Ntl/[W]String` and other `Core` types.

About searching it in help... I find it somewhat difficult too, I often try this web version first, but sometimes when I'm almost sure where to look, I include that package into my project and hit F1. With things like `Ntl` and files it's quite easy to guess where to look, that's pure `Core`.

Funny thing, now I did notice in latest `TheIDE` build I can't click on any internal hyperlink in help (external leading to `http://` works), only the tree on left works.

---

---

Subject: Re: Open file as stream for `fgetpos()`, `fseek()`, etc.

Posted by [nneilson](#) on Tue, 09 Nov 2010 09:35:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

`mr_ped` wrote on Tue, 09 November 2010 09:52...you should have warning bell in head saying "how does U++ wrap this?"

... usually cleaner API, hiding platform specific details

Good points!

---

---

Subject: Re: Open file as stream for `fgetpos()`, `fseek()`, etc.

Posted by [nneilson](#) on Tue, 09 Nov 2010 10:56:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Honza, got what I need, `in.SeekCur(-2000)`;

About 40 bytes each line for 3D position, 1/sec.

---

To set the replay back 1 min (40\*60)  
in.SeekCur(-2400)

Works OK.

A file was used before for testing, CPU usage, responsiveness, etc for 50 concurrent traces for about 3 hours of data ~200k lines (8MB).

Fast forward was not a problem by skipping lines, in.SeekCur(4000000) could go to the midpoint faster.

Rewinding a set amount is a function that was not included before, now it can be.

Neil

---