

---

Subject: How do I make this graph?

Posted by [Jerson](#) on Sat, 04 May 2013 07:51:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I've been trying my hand using the scatter control to achieve something like this.

This is a user control I had built in Visual Basic. Is it possible to get a similar graph using the scatter control or any widget already present in U++?

Regards

Jerson

---

#### File Attachments

1) [CropImage.jpg](#), downloaded 869 times

---

---

Subject: Re: How do I make this graph?

Posted by [Didier](#) on Sat, 04 May 2013 13:22:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Jerson,

Is this what you are trying to do ?

---

#### File Attachments

1) [GC\\_test.png](#), downloaded 847 times

---

---

Subject: Re: How do I make this graph?

Posted by [Didier](#) on Sat, 04 May 2013 13:26:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

If this the case than you can use the following example as starting point.

This example uses GraphCtrl and GraphDraw (they are in svn sandbox)

If the X axis layout does not fit you're needs then you can build you're own layout quite easily

---

#### File Attachments

1) [GC\\_test.tar.gz](#), downloaded 258 times

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Sat, 04 May 2013 14:53:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Didier

Thank you for your response. What I am trying to do is like this graph sample here.

What you see in the graph are

- 1 - there are upto 4 series in the graph(this graph shows 3 series)
- 2 - The Y axis is linear and goes from +120 at the min position(Bot+Left) and -10db at the max position (Top+Left)
- 3 - X axis has only 13 points max, but the point legends are decided by me as you can see.
- 4 - Each series has a plot symbol

I would like to use any pre-existing widget as far as possible so I am looking for hints.

Thank you

PS: My current version is the last stable release 5485

#### File Attachments

1) [CropImage.jpg](#), downloaded 797 times

---

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Sun, 05 May 2013 13:57:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Jerson

I imagine the X and Y axis are rather "custom" so I propose you this to have exactly what you want:

This is the code:

```
void MyClass::Init() {  
    CtrlLayout(*this);  
    HSizePos().VSizePos();  
  
    scatter.SetRange(12, 130);  
    scatter.SetXYMin(0, -120);  
    scatter.SetMajorUnits(1, 10);  
    scatter.ShowLegend(false);  
    scatter.SetTitle("Right Ear").SetLabelX("X-Axis").SetLabelY("dB");  
    scatter.SetPlotAreaLeftMargin(40).SetPlotAreaBottomMargin(40);  
}
```

```
s1 <<Pointf(4, -30) << Pointf(6, -35) << Pointf(10, -50);  
s2 <<Pointf(4, -55) << Pointf(6, -60) << Pointf(10, -70);
```

```
scatter.AddSeries(s1);  
scatter.AddSeries(s2);
```

```
scatter.cbModifFormatX = THISBACK(FormatX);  
scatter.cbModifFormatY = THISBACK(FormatY);  
}
```

```
void MyClass::FormatX(String& s, int i, double d) {  
    Vector<String> xLegend;  
    xLegend << "125" << "250" << "500" << "750" << "1K" << "1.5K" << "2K" << "3K" << "4K" << "6K"  
    << "8K" << "10K" << "12K";  
    s = xLegend[i];  
}
```

```
void MyClass::FormatY(String& s, int i, double d) {  
    s = FormatDouble(-d, 0);  
}
```

Have a nice Sunday!

---

## File Attachments

1) [Image.png](#), downloaded 790 times

---

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Sun, 05 May 2013 15:07:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Koldo

This is brilliant. Thank you so much.

Regards  
Jerson

---

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Sun, 05 May 2013 16:42:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Koldo

A small issue with the code; these functions are throwing compile errors with MinGW

SetPlotAreaLeftMargin(40)  
SetPlotAreaBottomMargin(40)

I tried the code with the latest nightly build 6031 just to be sure.

Regards  
Jerson

---

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Sun, 05 May 2013 17:02:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Jerson

Please enclose the error messages. I cannot reproduce it.

---

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Mon, 06 May 2013 07:32:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Koldo

These are the errors I get  
BLITZ: ScrHistory.cpp ScrSetup.cpp main.cpp ScrSaveRecord.cpp ScrAudiometry.cpp  
In file included from C:/upp/out/MyApps/A2001\_13/MINGW.Blitz.Gui.Main/\$blitz.cpp:25:0:  
C:\MyApps\A2001\_13\ScrAudiometry.cpp: In member function 'void A2001\_13::ScrAudiometry()':  
C:\MyApps\A2001\_13\ScrAudiometry.cpp:30:16: error: 'class Scatter' has no member named  
'SetPlotAreaLeftMargin'  
A2001\_13: 5 file(s) built in (0:02.79), 559 msecs / file, duration = 2797 msecs, parallelization 0%

for this line of code

```
Test.scaRight.SetPlotAreaLeftMargin(40).SetPlotAreaBottomMargin(40);
```

Test is a topwindow class, scaRight is the scatter control.

Another related question. I noticed that the series symbols are pre-defined like CIRCLE, RECTANGLE, TRIANGLE etc. Can they be changed to some images from an IML file?

Regards  
Jerson

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Mon, 06 May 2013 08:11:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Jerson

The message:

Quote:"... error: 'class Scatter' ..."

is strange for me as it should have to be either ScatterCtrl or ScatterDraw instead. Could you give me more details as the declaration?

To set images as symbols you can see examples/ScatterCtrl\_demo, class tab10, class MyMark:

---

#### File Attachments

1) [demo.jpg](#), downloaded 819 times

---

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Mon, 06 May 2013 09:40:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Koldo

You are right. I was using the Scatter package and not ScatterCtrl

This was the included package  
c:/upp/Bazaar/scatter

I have now changed to using ScatterCtrl and the problem has gone away.

Thanks

Jerson

---

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Mon, 06 May 2013 10:07:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Excellent.

---

---

Subject: Re: How do I make this graph?

Posted by [jerson](#) on Thu, 09 May 2013 06:19:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for all the help. I have been able to make a workable solution with the scatterctrl.

The blue line is what I wish to draw. It interpolates between data points that are presented to scatterctrl. However, the un-initialized vector data shows up at 0,0 This is not desirable because when I turn on .plot(), lines appear connecting 0,0 to each of the points in the series. It looks like cones falling from 0,0(orange lines)

I am setting the vector like this

```
Vector<Pointf> LeftSeries[4];
```

Since I have just 12 points on X axis, I enter the data like this

```
Test.scaLeft.SetRange(12, 130).SetXYMin(0, -120);
Test.scaLeft.SetMajorUnits(1, 10).ShowLegend(true);
Test.scaLeft.SetLabelX("Frequency (Hz)").SetLabelY("dB");
Test.scaLeft.cbModifFormatX = THISBACK(A2001_13::FormatX);
Test.scaLeft.cbModifFormatY = THISBACK(A2001_13::FormatY);
Test.scaLeft.AddSeries(LeftSeries[0]).Legend("ACL").NoPlot()
    .AddSeries(LeftSeries[1]).Legend("ACLM")
    .AddSeries(LeftSeries[2]).Legend("BCL")
    .AddSeries(LeftSeries[3]).Legend("BCLM");
```

and to plot the points

```
double f = -1;
```

```
Test.stText = AsString(Test.spnFrequency.GetIndex());
LeftSeries[0].Set(Test.spnFrequency.GetIndex(),
Pointf(Test.spnFrequency.GetIndex(),f*Test.spnIntensity));
Test.scaLeft.Refresh();
```

Test is a <TopWindow>, others are EditIntSpin while spnFrequency is a droplist

The user can enter any point (not necessarily in a sequence of X) and the graph would interpolate it.

Question is, can this be done?

Best regards  
Jerson

## File Attachments

1) [CropImage.jpg](#), downloaded 740 times

---

---

Subject: Re: How do I make this graph?

Posted by [koldo](#) on Thu, 09 May 2013 09:04:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Sorry Jerson

I do not understand you.

If you do not want to see a series that has uninitiated data you can use `Show(index, false)` to hide it temporarily.

As Scatter classes show scattered data, to see it ordered you should have to do a `Sort()` of the Vector using x axis as sorting criteria.

---

---

Subject: Re: How do I make this graph?

Posted by [jerson](#) on Thu, 09 May 2013 10:15:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Koldo

Let me try saying it another way. For the moment, let me assume we talk of only one data series.

The series has points like this

vector	Point X	Point Y
Index	value	value
1	1	50
2	not yet filled in(uninitialised)	
3	not yet filled in(uninitialised)	
4	not yet filled in(uninitialised)	
5	not yet filled in(uninitialised)	
6	6	50
7	not yet filled in(uninitialised)	
8	not yet filled in(uninitialised)	
9	9	60
10	not yet filled in(uninitialised)	
11	not yet filled in(uninitialised)	
12	not yet filled in(uninitialised)	

As the user conducts the test, more points in the table will get filled with X = index value and Y = reading.

What I wish to see is the line connecting only the values that are initialized with data(1-6-9). Right

now, the uninitialised points show their value at X=0,Y=0. Because of this, the graph shows the orange curve.

the reason for doing it via indexing is that the same point could be tested again. the number of points in the series will always be 12 (tested or not tested)

Thanks for looking at my problem

Regards  
Jerson

---

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Thu, 09 May 2013 12:07:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'd appreciate if anyone can show me an example of how to sort a vector of Pointf on member x.

Vector<Pointf> Series;

---

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Thu, 09 May 2013 12:36:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Jerson

As I understand user goes adding new unsorted points. Every time the user does it you call Sort() and scatter.Refresh(). Only added points are drawn. To sort the Vector you can do this:

```
struct SortPointf {  
    bool operator () (const Pointf& a, const Pointf& b) const {  
        return a.x < b.x  
    }  
};
```

....

```
Sort(series, SortPointf());
```

---

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Thu, 09 May 2013 13:46:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---



Hi Koldo

Thanks, this is very close to what I want

How do I ensure that there is just one point at each X? Is there a function to find a point with `x==index` and replace that with a value?

What I am looking for is something like

```
if (Find(Series, Pointx.a==Index))
    // replace the point
    Series.Set(Index, PointNew);
else
    // add to the series
    Series << PointNew;
```

I'm sorry if this is very elementary. I haven't reached that far yet in C++.

Regards  
Jerson

---

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Thu, 09 May 2013 14:03:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Jerson

- The dummy solution: If the point is repeated they will overlap so only one will be seen
  - The other: I would Sort() the Vector and Remove() by hand the repeated elements doing the for from the last to the first to avoid problems.
- 

---

Subject: Re: How do I make this graph?  
Posted by [jerson](#) on Fri, 10 May 2013 04:48:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Koldo

This is the final piece of code that does exactly what I want it to do. Please let me know if you would do the same differently.

```
void A2001_13::Plot()
{
    double f = -1;
    int cnt;
```

```
// First, if the point is already in the vector, remove it
// Then add the point to the vector and
// Sort it.
for (cnt=0; cnt < LeftSeries[0].GetCount(); cnt++)
{
    if (LeftSeries[0].At(cnt).x == Test.spnFrequency.GetIndex())
        LeftSeries[0].Remove(cnt,1);
}
LeftSeries[0] << Pointf(Test.spnFrequency.GetIndex(),f*Test.spnIntensity);
Sort(LeftSeries[0],SortPointf());
Test.scaLeft.Refresh();
}
```

The max points in vector is 12. Any point changed, gets updated.

Best Regards  
Jerson

---

---

Subject: Re: How do I make this graph?  
Posted by [koldo](#) on Fri, 10 May 2013 06:01:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

It seems right.

---